

Ariyalur Municipality

TOWN PROFILE

1.1. Town History

According to the epics this place (Ariyalur Municipality) was called “Hari nindra oor” Ancestors said, “God Hari” stayed here and then proceed, so this place was called Ariyalur. Nine avatars of “God Hari” carved out of single stone found out from the Alanthuraiyar Kothandaramasamy Temple at Ariyalur which is the special feature in Ariyalur. Ariyalur Municipality is situated 30 Km away from East side of National Highways 45 along state Highway 27 Perambalur – Manamadurai Trichy – Chennai. Ariyalur Municipality extends over an area of 7.62 Sq.km as per Revenue Record.

A famous Temple Sri Kaliyuga varadharaja perumal Temple is situated 5 Km away from this municipality every Tamil month of purattasi days special Poojas performed. There are four cement factories established around Ariyalur Municipality.

1.2. Town Administration

Ariyalur established in 21.12.1943 as a second Grade Town panchayat and in 01.01.1955 as a then First Grade Town panchayat and in 01.04.1966 a Selection Grade Town panchayat. As per the Government order 150, dated 01.10.2004, the Selection Grade Town panchayat upgraded to Special Grade Town panchayat and Government order G.O.No. 372 dated 16.12.2004 upgraded to Third Grade Municipality. and G.O Ms. No. 154 MAWS dated 09.08.2010 upgraded to Second Grade Municipality. Present Extent in 7.62 sq.km with the Population strength 28902 of the Census of year 2011. Ariyalur Municipality having 18 divisions of 18 wards and Council Headed by Chairman with 9 women and 9 men Councilors.

1.3 Location

The town is situated 10° North latitude and 79° longitude and 30 km North east to Perambalur, 65 km East to Trichy 47 km North to Thanjavur, 36 km west to Jayankondam.

1.4 Climatic Condition

The climatic is almost cool and pleasant in the winter season from September to February of every year. The climate will be hot during March to May of Every year and medium in the remaining months.

1.5 Population

Sl. No	Details	Men	Women	Total
1.	2001 Population	14065	13757	27822
2	2011 Population	14322	14540	28902

Existing Infrastructure Facilities of the Town

2.1 WATER SUPPLY

The Ariyalur Municipality is served by Kollidam Water Supply Scheme, hand pumps and open wells is practiced to arrangement of current supplies.

Present water supply was designed in the year 1992-1993 by the Kollidam Water supply Scheme for Ariyalur Municipality

The total quantity of water supplied by municipality is 14.50 Lakhs Litres.(The average liter per capita per day). Due to the ground water potentiality, the quantity has been restricted.

Other sources, There are 13 bore wells with hand pumps and 53 bore wells with power pumps in different parts of the town. The average ground water depth in Ariyalur is 450-600 Ft below the Ground level and goes down much more during summer.

Storage OHT's	Year of Completion	Capacity
	Year	Litre
Govt Art's College campus OHT	1992	5.00 Lakhs
Municipality campus OHT	1992	3.50 Lakhs
Mela Agraharam Backside	2000	6.00 Lakhs
Vellala Street		
Total	--	14.50 Lakhs

2.2 SANITATION (Drainage & Sewerage)

There are 33 nos of Toilets maintained by municipality for Public utilization. These toilets are maintained by municipality daily. Two numbers of pay and use Toilets are maintained in bus stand.

2.3 STORM WATER DRAINAGE

Ariyalur is having effective network of storm water drains to the length of 25.16 km, which is 20 percent of total road network.

Drain Type	Length KM
Open Drains – Pucca	7.93
Open Drains – Kutcha	17.23
Closed Drains	-
Total	25.16

2.4 SOLID WASTE MANAGEMENT

The collection, transportation and disposal of municipal solid waste is an obligatory function of the Ariyalur Municipality. The municipal solid waste mainly comprises waste from households, markets, commercial establishments, hotels, hospitals and industries in the town. The health department of the municipality, headed by sanitary Inspector (SI), is responsible for the solid waste management of the town. For the efficient administration and for day to day operation purposes, the town consists of 18 municipal wards.

Quality of generation. As per the solid waste action plan prepared for Ariyalur Municipality, the total quantity of waste generated in Ariyalur Municipality is 13.50MT per day. This works out to 148 per capita per day. which is higher than the specified standards of 150 grams per capita for the town of similar size.

Primary Collection

Ariyalur Municipal has initiated the system of door to door collection to collect solid waste from the households and other establishments. The local body has provided 33 Pushcart door to door collections. The wards where door to door collection is done on a daily basis in every Morning 6.00 to 9.00 AM

The local body and the private contractor carry out street sweeping and drain delisting in their respective wards. Hand brooms and brooms with ends having metal blade are used for street sweeping while shovel and push are used for drain desilting activities. About 2 MT of waste is collected through street sweeping.

2.5 Roads

Road in the Municipality interiors are narrow and have a width ranging from

Roads	Length in km
Black topped	27.65
Concrete	12.67
WBM	--
Gravel	--
Earthen / Kutcha	--
Total	40.32 Km
Highways Road	6.16 km

2.6 Preservation of water bodies

There are 13 Eri's in the Municipal limit. All of these tanks are periodically maintained by the Ariyalur Municipality

2.7 Education

There is no municipal school for Ariyalur Municipality.

NECESSARY FOR THE PROPOSAL

Ariyalur is the district headquarters of the district. Now underground sewer project was fully completed and trial run is under progress. Thus, all sewage water is used in the underground sewer line. In the rainy season the water is stagnant and there is no drainage. It will create public health issues like..., Mosquitoes and hypochondriacs.

In order to fix this, it is very necessary to install rain gutters in the city and I request you to issue an order with a full grant of Rs.10.00 crore.