

மழைநீர் சேமிப்போம்""

பிளாஸ்டிக்கை தவிர்ப்போம் ""

நகராட்சி அலுவலகம்,

தேனி - அல்லிநகரம் ,

நாள் : 17.04.2025

நகர்மன்ற சாதாரண கூட்டம் (மேஜை பொருள்)

நிகழும் திருவள்ளூர் ஆண்டு, ஸ்ரீ குரோதி வருடம், சித்திரை திங்கள் மாதம் 04 -ம் நாள் 17.04.2025-ம் தேதி வியாழக்கிழமை காலை 11.00 மணிக்கு நகர்மன்ற கூட்டரங்கில் நகர்மன்ற சாதாரண கூட்டம் நடைபெறும். அது சமயம் மேஜை பொருள் சேர்க்கப்பட்டுள்ளது. நகர்மன்ற உறுப்பினர்கள் அனைவரும் தவறாது கலந்து கொள்ளுமாறு கேட்டுக் கொள்கிறேன்.

(ஓம்),பா.ரேணுப்பிரியா,
நகர்மன்ற தலைவர்,
தேனி -அல்லிநகரம் நகராட்சி.

பொருள் 01:-

தேனி - அல்லிநகரம் நகராட்சியில் Tamil Nadu Climate Resilient Urban Development Program (TNCRUDP) திட்டத்தின் கீழ் மேற்கொள்ளும் பாதாளச் சாக்கடை திட்டம் விடுபட்ட / விரிவாக்கப் பகுதியில் செயல்படுத்தும் பணிக்கு உள்ளாட்சி அமைப்புகளில் கடைபிடிக்க தக்க வகையில் பாதாளச் சாக்கடை திட்டத்திற்கான செயல்பாடுகள் தொடர்பான துணை விதிகளை உரிய அலுவலரின் அனுமதி பெற்று அரசிதழில் வெளியிட கோரி அரசு கூடுதல் தலைமைச் செயலாளர், தமிழ்நாடு நகர்ப்புற உட்கட்டமைப்பு நிதி சேவை நிறுவனம் சென்னை அவர்களின் கடித எண். TNUDF / Projects / SMIF - TN - III & TNCRUDP, நாள்.06.11.2024-ல் தெரிவிக்கப்பட்டுள்ளது.

அதன்படி உள்ளாட்சி அமைப்புகளில் கடைபிடிக்கத் தக்க மாதிரி உபவிதிகளை வகுத்து நகராட்சி நிர்வாக இயக்குநர், சென்னை அவர்களின் கடிதம் எண்.Roc No. 33702 / 2024 / EA1, நாள்.17.03.2025-ன் படி பெறப்பட்டுள்ள நிலையில், அதனை தொடர்ந்து தேனி - அல்லிநகரம் நகராட்சியில் பாதாளச் சாக்கடை திட்டத்தின் செயல்பாட்டிற்காக கீழ்க்காணும் விபரப்படி தயார் செய்யப்பட்ட நெறிமுறைகள் மற்றும் கட்டண விபரங்கள் அடங்கிய உபவிதிகளை மன்றத்தின் அனுமதி பெற்று நகராட்சி நிர்வாக இயக்குநர் சென்னை அவர்களின் ஒப்புதலுக்காக அனுப்பி வைக்குமாறு தெரிவிக்கப்பட்டுள்ளது.

Under Ground Sewerage (By - Law)

In exercise of the powers conferred under sub - section (1) of section 199 of the Tamil Nadu Urban Local Bodies Act, 1998 (Tamil Nadu Act of 1999) the council of Theni - Allinagaram Municipality Municipal Council, hereby makes the following By - Laws with the approval of the Director for regulation of Under Ground Drainage Connection.

1. (1) For getting Under Ground drainage connections, the owner of the building or the tenant of the building with the approval of the owner shall apply to the Commissioner in "Form 1" in the Annexure along with the application fees of Rs.100/-, details indicated in Form 1 and details of property such as copy of sale deed, property tax remittance etc.,
 - (2) The City Engineer or his / her authorized officer shall scrutinize the application and advise the owner / tenant to remit the deposit depending upon the plinth area as specified in Table - 1 either in one or more installments as ordered by the Commissioner based on the Council resolution along with charges towards inspection, road restoration and centage.
 - (3) The commissioner shall there after issue order in Form 2 to provide house service connection.
 - (4) The connections shall be given through the Municipal / Corporation Trained Plumbers / Contractor engaged by the owner / tenant, under supervision by Municipal / Corporation authorities in the order of priority prepared based on the date of registration of application.
2. (1) For getting Under Ground drainage connections, in the new Under Ground drainage system provided or being provided as part of any comprehensive Under Ground drainage improvement scheme, the owner of the building or the tenant of the building with the approval of the owner shall apply to the Commissioner in "Form 1" in the Annexure along with the application fees of Rs.100/-, details indicated in the Form 1 and details of property such as copy of sale deed, property tax remittance etc.,
 - (2) The commissioner shall there after issue order in Form 2 to provide house service connection.
 - (3) The connections shall be given through the civil works Contractor engaged by the Municipal / Corporation / Parastatal Agency namely Tamil Nadu Water Supply And Drainage Board under the Under Ground drainage improvement scheme. The Contractor, upon advice by the City Engineer / Municipal Engineer, shall provide UGS service connections under the contract for the Under Ground drainage improvement project.
 - (4) The City Engineer / Municipal Engineer shall parallelly advise the applicants to remit the deposit depending upon the plinth area as specified in Table-1 either

in one or more installments as ordered by the Commissioner. The Parastatal Agency / City Engineer shall ensure that all the assessed properties (both domestic and non - domestic) are provided with Under Ground drainage service connections without any omissions.

3. The application received along with the requisite documents will only be considered for providing Under Ground drainage connection
4. The Municipal / Corporation / Municipality shall levy the UGS charges based on the plinth area of the building as per the rates specified in Table-2 for both domestic and non-domestic connections. The user charges shall be levied on a flat rate basis

(1) Where the Underground Drainage Sewerage System is facilitated in the Municipal Corporation / Municipality the households / buildings and other utilities shall avail the Under Ground Sewerage System service connection with required internal plumbing to connect the same to the machine hole / collection system after obtaining the permission from the Municipal/ Corporation / Municipality.

(2) The area not facilitated with the Underground System in the Municipal / Corporation / Municipality the households, buildings shall have impermeable septic tank to collect and store the human excreta and the sewage generated by the users and to dispose the same on timely basis through the Municipal Corporation / Municipality licensed Sullage lorry operators. With the permission of Commissioner of Municipal Corporation / Municipality, the licensed sullage operators shall dispose the collected sewage from the individual households, septic tanks to the designated and authorised STP / FSTP.

5. (1) Rain water harvesting structure shall be established within the premises by the owners of households / buildings to improve the ground water level and to maintain the water table and to prevent the entry of rain water into the Under Ground drainage sewerage system. The rain water harvesting structure shall be constructed with the advice of engineers of the Municipal Corporation / Municipality. The provision of rain water harvesting structure in the premises of households / building shall be ensured before permitting the house service sewerage connection.

(2) Rain water harvesting structures shall be constructed in such way to prevent to the entry of collected rain water into the inspection chamber of the sewerage system. This above structure shall be constructed using the materials and

procedures recommended by the Engineers of Municipal Corporation / Municipality.

6. The internal Plumbing infrastructures shall be constructed in such a way to collect black water and gray water such as the water from the bathroom and kitchen and to let off the waste water collected into the underground sewerage system established by the Municipal Corporation / Municipality. The drainage structure will be constructed according to specification provided in the Tamil Nadu Combined Building Rules 2019.
7. The Under Ground sewer line shall be with in the premises of households with proper internal plumbing and related infrastructure including Air vent pipe, before connecting the sewer line to the collection system instructed by the Municipal Corporation / Municipality. In every House service connection Gully trap is to be provided and in workshop, Bakery and Hospitals Greece trap and oil trap must be provide.
8. The inspection chamber and bell trap / bit trap shall be covered with a top cover as per the recommendation of City Engineers / Municipal Engineers.
9. The House Service Connection, collection pipe should be connected with the collection system of the Under Ground Infrastructure of the Municipal Corporation / Municipality with appropriate gradient and bends so as to carry the domestic sewage to the system / machine hole without any blockage. Specifically the inter connection should not be made perpendicularly horizontally with the Municipal Corporation / Municipality Sewerage System.
10. The Residents / occupier / owner in the apartments and bulk sewage waste water generator should be established a small scale sewage treatment plant within their premises and connected with the nearest machine hole in the underground sewage system.
11. If the underground sewage collection system required to construct by crossing a wall structure or underneath of a wall, then the collection system shall be constructed with proper bend and using Reinforced Cement Concrete as recommended by the Municipal Corporation / Municipal Engineers, in such a way to ensure the protection of sewage carrying pipe without damage the underground drainage pipe due to construction of wall over the sewage pipe.
12. The sewage carrying / collection shall be laid within the premises up to the compound wall of the property so as to connect the same to Municipal Corporation / Municipality underground sewage system by maintaining

minimum distance between both connecting points.

13. When the existing households not having any toilet the house owner held responsible to construct the toilets and to be connected in the underground drainage system to avoid open defecation.
14. When a shopping complex have no separate urinal and toilet room, the common toilet to be constructed and connected with the nearest machine hole in the underground drainage system.
15. A Trap, grating shall be fixed in the sewerage line as per the recommendation of Engineers of Municipal Corporation / Municipality.
16. Owners or occupant of building / premises shall facilitate the Municipal Corporation / Municipal Engineers for inspection at any time.
17. The building owner / occupant who desires to get underground drainage Connection for any premises shall apply to Commissioner of the Municipal Corporation / Municipality either through online or in person by submitting the Form-1 (prescribed format available in annexure - 1) along with the below listed enclosure. The application Form-1 received without the listed enclosures shall be considered as invalid application.
 - a) The receipt for remittance of property tax for the building for which Under Ground Drainage Connection requested to be enclosed as proof for "No due" on property tax Service remittance.
 - b) A sketch / drawing indicating the plumbing details between the machine hole to the premises, prepared and certified by the licensed engineer should be enclosed. Further the proof for the remittance of road restoration charges for the length of plumbing indicating in the drawing. The road restoration shall be determined as indicated below. But in the new Under Ground Drainage Scheme is ongoing in that area, the residents need not remit the road restoration charges since it is included in the scheme and the water connection will be given by the Municipal / Corporation / Municipality.
 - c) The proof for the remittance of caution deposit should be enclosed
 - d) The proof for the remittance of Rs. 1000/- per connection as supervision charges should be enclosed except the underground sewage scheme implementing area.
 - e) An undertaking certificate shall be signed. If the Form -1 application is submitted to avail Underground Sewage connection for multi storied

building apartments, group houses all the property owners / residents should sign in the application.

- f) House service connection for Multi-storied building, apartments, group houses should be submitted in Form 1 with the sketch/drawing indicating the distance between the distribution line to the premises and the number of sewage connections eligible to avail. The proof for the remittance of road restoration charges for the length of plumbing, number of connections as indicated in the drawing should be calculated as per the table enclosed. New ongoing Underground Sewage scheme project implementing area shall be exempted to remit the road restoration charges. The amount mentioned below is for the year in which this By-Law came into force. Therefore an additional 5% per annum shall be payable to the assessing Municipal / Corporation / Municipality.

For 6 - 8 meter length of soil	Bitumen road for 6 - 8 meter length	Cement concrete floor for the length of 6 - 8 meter
Rs.558 /-	Rs.1249 /-	Rs.1215 /-

- g) The application (Form 1) Seeking Permission to avail Under Ground Drainage connection for Multi - storied Building , apartments and group houses shall be enclosed with the proof for remittance of property tax without any due for all the households / properties / tenants / flats.
- h) The application (Form 1) Seeking Permission to avail house service connection for Multi storied Building, apartments and group houses should be enclosed with the proof for remittance of caution deposit by all the owners / residents of the households / properties / tenants / flats.
18. (1) The following deposit and user charges for Under Ground Drainage shall be payable by the Owner / Tenant for obtaining House Service Connection.

Table – 1: Deposit for Under Ground Drainage Connection

Plinth Area of Assessment in Sq.ft	Under Ground Drainage Service Connection Deposit (in Rs./ connection)	
	Domestic	Non – Domestic
Municipal Council		
< = 600	7500	15000
601 - 1200	10000	20000
1201 - 1800	12500	25000
1801 *	15000	30000
* This is the base rate for the plinth area of 1801 sq.ft. The deposit for the plinth area above 1801 sq.ft. shall be increased in proportion to the increase in plinth area.		

Table – 2: User Charges for Under Ground Drainage Connections

Plinth Area of Assessment in Sq.ft	User Charges for Under Ground Drainage Connections (in Rs./ connection)	
	Domestic	Non – Domestic
Municipal Council		
< = 600	100	300
601 - 1200	130	390
1201 - 1800	160	480
1801 *	190	570
* This is the base rate for the plinth area of 1801 sq.ft. The water consumption charge for the plinth area above 1801 sq.ft. shall be increased in proportion to the increase in plinth area.		

(2) The Under Ground service connection deposit and water consumption charges shall be increased at the rate of 3 % on every year so as cover the cost of operation and maintenance of the entire water supply system.

(3) The owner / occupant, who have already availed the House Service Connection, shall also be required to be pay the remaining amount of deposit for Under Ground drainage to the extent of the present rate of such deposit.

19. (1) Providing UGS for Individual Households / Residents, if the length of the UGS connection given from manhole to house hold premises, then 100 mm pipes is used.

(2) Providing UGS for Multi - storied building / Apartments / Group Houses, the Under Ground Sewerage Connection for multistoried building, appartments, group houses shall be provided as indicated in the below table irrespective of the total number of house hold in the multistoried buildings, appartments and group houses.

Table				
Sl.No	Apartments	No.of Connection	Deposit	Size of Pipe (in. dia)
1	Upto 4 Flats	1 connection	20,000 /-	100 mm dia pipe
2	From 5 to 8 Flats	2 connection	20,000 /- each connection	150 mm dia pipe
3	From 9 to 12 Flats	3 connection	20,000 /- each connection	200 mm dia Pipe
4	above 12 Flats	1 connection / 4 Flats	20,000 /- each connection	Decided by City Engineer / Municipal Engineer

Provided that every Property tax assessment should be treated as single unit for assessment UGD user charges

- (3) The tenants / households in the appartments or multi-storied building or group houses shall be provided underground connection and the caution deposit and user charges shall be collected from all the tenants / occupant / residents.
20. The user charges for the purpose on worship places like mosque, temples and churches will be treated as Domestic purpose. If any one of their property used other than worship purposes is to be taken on commercial and charge will be levied accordingly.
 21. Demand for UGS charges will be made before 10th of every month for the consumption for the previous two months.
 22. If the amount is not paid in the above period, the Executive authority shall be at liberty to cut off the service after the demand is made. If the amount is not paid within the above, the Commissioner shall not be liable for any damages for such disconnection.

23. No connection will be provided to the premise to which is not levied property tax. If an existing domestic under ground connection is in the building which the same will be reconstructed or modified or major repairs connection will be taken into account as on non-domestic purpose and the rate of charges will be collected accordingly.
24. Payment for all Under Ground sewage connection under the terms and conditions laid down in these by laws is not made by the party concerned within the time stipulated, shall be recoverable in the same manner as within the norms for property tax collection.
25. Every person to whom Under Ground Sewage connection is or has been provided by the Municipal Corporation / Municipality shall maintain the Under Ground Sewage connection in good condition and repairs at his own cost.
26. The Executive Authority may at any time remove any pipe or fittings connected with any house service connection for the purpose of examining the conditions of or repairing of such fittings. If on such examination or otherwise, it is found that the pipes or fittings are defective in any respect, the Executive Authority may give notice to the owner or occupier of the premises to execute within a specified time period or one month at the most, if the work necessary to remedy such defect may be carried out. If the work is not executed within the time allowed in the notice or if the defect is likely to cause contamination of water, the Executive Authority may himself / herself execute such work and recover the cost from the owner or occupier or alternatively the connection will be disconnected.
27. Under Ground Sewage connection provided for domestic purpose and the same shall not be used for non-domestic purpose without prior approval from Commissioner. But, if the Commissioner finds that the drainage connection is being used for non-domestic purpose or has reasons to believe so, they may require the house connection owner or the resident to pay charges for non-domestic use as determined under By-Law 24, from the date of notice. If the charges so determined are not paid, the Commissioner may order the disconnection of the house connection.
28. All house service connections granted before date of commencement of these by-law come into force shall be recognised as valid as if they had been granted under these by-law and shall be recognized as authorized connection under the provisions of these bye-law, if the owner or occupier remits the rate applicable under these bye-laws. If the said charges are not paid under these by-laws and such

connections are to be treated as for non domestic illegal connections and fine will be imposed at the rate of Rs.3000/- for domestic and Rs.6000/- for non domestic. These connections are to be disconnected with fine. In continuous offence, the House Service Connection will be disconnected permanently.

29. (1) Under Ground drainage used for Government Educational Institutions and Government Hospitals are exempted from payment of property tax and the User charges will be collected as Domestic charges.
- (2) While giving Under Ground Drainage connections to Government Office Buildings and Public Sector Units in the assessment shall be ensured for providing non - domestic connections.
30. The Corporation / Municipal Council may provide penalties in the by-laws and regulations, and for violation of such by-laws and regulations in accordance with the rules framed under section 199(2) of Tamil Nadu Urban Local Bodies act 1998 (act of 1999)

தேனி - அல்லிநகரம் நகராட்சியில் தற்போது செயல்பட்டு வரும் Partly Covered பாதாளச் சாக்கடை திட்டத்தின் மூலம் குடியிருப்புகள் மற்றும் வணிகவகை பயன்பாட்டிற்கு வழங்கப்படும் பாதாளச் சாக்கடை இணைப்புகளுக்கான பராமரிப்பு செலவினம், பாதாள சாக்கடை இணைப்புகளை பராமரிப்பதற்கு பயன்பாட்டில் உள்ள வாகனங்கள், இயந்திரங்கள் ஆகியவற்றினை பராமரிப்பதற்கும் அதற்கான எரிபொருள் செலவினத்திற்கும், நகர்பகுதியில் உள்ள 1 கழிவுநீர் சுத்திகரிப்பு நிலையம், 4 கழிவுநீர் உந்து நிலையம் ஆகியவற்றினை பராமரிப்பு செய்வதற்கான செலவுகள், மின்சாரக்கட்டணச் செலவுகள், நகர்பகுதியில் உள்ள இயந்திரத் துளைகள், கழிவுநீர் பிரதான குழாய்கள் பராமரிப்பு செலவுகள் மற்றும் இயக்குதல் / பராமரிப்பு பணிக்கு தேவையான பணியாளர்களுக்கு வழங்கப்படும் ஊதியம் உள்ளிட்ட அனைத்திற்கும் உரிய செலவினங்கள் வருடத்திற்கு ரூ 218.00 இலட்சம் ஆகும்.

இந்நிலையில் TNCRUDP திட்டத்தின் கீழ் நகர்பகுதியில் தற்போது நடைபெற்று வரும் பாதாளச் சாக்கடை திட்டம் விடுபட்ட / விரிவாக்கப் பகுதியில் முழுமையாக செயல்படுத்தப்பட்டு பணிகள் அனைத்தும் முடிவாகும் போது மேற்காணும் செலவினங்கள் வருடத்திற்கு பலமடங்குகள் உயர்வதற்கு வாய்ப்புகள் அதிகம் இருப்பதை கருத்தில் கொண்டு நகராட்சி நிர்வாக இயக்குநர் சென்னை, அவர்களால் பரிந்துரைக்கப்பட்டுள்ள துணைவிதிகள் மற்றும் அதன் படியான கட்டண அமைப்புகள் வருடாந்திர செலவினத்தை ஈடுசெய்யும் வகையில் இருப்பதால் தற்போது நடைமுறையில் உள்ள இவ்வலுவலக கோப்பு ந.க.எண். 5754 / 2001 / இ1, நாள்.08.02.2012, இந்நகர்மன்ற தீர்மான எண். 1679, நாள்.30.09.2010-ன்படி அனுமதிக்கப்பட்டு தமிழ்நாடு அரசிதழில் வெளியிடப்பட்ட தேனி - அல்லிநகரம் நகராட்சியின் பாதாளச் சாக்கடை திட்டத்திற்கான உபவிதிகளை மாற்றி இந்நகராட்சியில் பாதாளச் சாக்கடை திட்டத்திற்கு மேற்காணும் விபரப்படி புதியதாக உபவிதிகளை மாற்றம் செய்வதற்கு நகராட்சி நிர்வாக இயக்குநர் சென்னை அவர்களிடம் அனுமதி பெற்று தமிழ்நாடு அரசிதழில் பதிவு செய்து இந்நகராட்சியில் பாதாளச் சாக்கடை திட்டத்திற்கான புதிய உபவிதிகளை

(By - Law) நடைமுறைப்படுத்துவதற்கு மன்றத்தின் அனுமதி வேண்டப்படுகிறது.

அலுவலகக்குறிப்பு:-

மன்றம் அனுமதிக்கலாம்

ந.க.எண் : 3761/2018 / இ1

தீர்மான எண்: 1071

தீர்மானம்: அலுவலக குறிப்பு அனுமதிக்கப்பட்டது

பொருள் 02:-

தேனி ம் ஆண்டு தமிழ்நாடு நகர்ப்புற சாலை மேம்பாட்டு 2026 - 2025 அல்லிநகரம் நகராட்சியில் - சிப்பங்கள் சாலைப் 2 திட்டத்தில் கீழ்க்காணும் விபரப்படியான பணியினை 100% முழுமானியத் தொகையில் மேற்கொள்வதற்கு நகராட்சி நிர்வாக இயக்குநர் சென்னை அவர்களின் செயல்முறை ஆணையின் கடிதம் ந.க.எண். 9730 / 2025 / SS1, நாள்.02.04.2025-ன்படி நிர்வாக அனுமதி வழங்கிய விபரம் மன்றத்தின் பார்வைக்கும் பதிவிற்கும் வைக்கப்படுகிறது

வ. எண்	பணியின் பெயர்	மதிப்பீட்டு தொகை (ரூ. இலட்சத்தில்)
1	Improvement of BT Surface road at Palli Odai Street (125001R018), Valli Nagar Main Road (125008R257), KRR Nagar 4th Street (125020R440), KRR Nagar 4th Street - 1st Cross Street (125020R441), PT Rajan Road (125019R423), Sivajji Nagar Road (125021R486), Subban Street (125030R587) in Theni - Allinagaram Municipality. (Total Roads = 07, Length in Km 2.133)	82.10
2	Removing and Relaying of Paver Block Road at Pattalamman Koil Street (125001R012), Komali Street (125002R029), Veerachami Street (125003R034), Kangasababathi Layout 2nd Street (125006R140), Sengol Lane (125005S014), Kambar Lane (125004R098), Gopal Lane (125006R113), Sundaraj Street (125006R114), Jellammal Street (125006R117), Gandhi Nagar 3rd Street (125012S038), Kanaku Raman Street (125010R147), Jakkan Street (125011R217), Salimar Street (125011R218), Karumari Amman 3rd Street (125013R291), Karumari Amman 2nd Street West Side (125013R282), Karumari Amman 2nd Street East Side (125013R287), Karumari Amman 2nd Street East Side (125013R288), Sivaram Nagar 2nd Street (125015R337), Sivaram Nagar 3rd Street (125015R338), Sivaram Nagar 3rd Street North Road (125015R339), Sivaram Nagar 3rd Street (125015R319), Sannasi Street (125016R357), Thanthai Periyar Street (125019R414), VOC Street (125019R404), Jawaharlal Nehru Street Street (125019R413), Annai Indra Lane (125019R412), Cumbam Natraj Lane (125019R411), in Theni - Allinagaram Municipality. (Total Roads = 27,	76.40

	Length in Km 2.757)	
மொத்தம்		158.50

அலுவலகக்குறிப்பு:-

மன்றம் பதிவு செய்யலாம்

. ந.க.எண் : 640 / 2025 / இ1

தீர்மான எண்: 1072

தீர்மானம்: அலுவலக குறிப்பு அனுமதிக்கப்பட்டது

பொருள் 03:-

தேனி அல்லிநகரம் நகராட்சி - எல்லைக்குட்பட்ட பகுதியில் கீழ்க்காணும் விபரப்படியான 4 பணிகளை மேற்கொள்ளுவதற்கு மதிப்பீடுகள் தயார் செய்யப்பட்டுள்ளது.

வ. எண்	பணியின் பெயர்	மதிப்பீடுத் தொகை ரூ. இலட்சத்தில்
1	வார்டு எண். 32 சுப்பன் செட்டி திட்டச்சாலையில் மழைகாலங்களில் மழைநீரை ஆர்.சி.சி பைப் மூலம் கடத்துவதற்கான பணி	1.60
2	மதுரை சாலையில் தொழிற்பயிற்சி மையத்திற்கு (ITI) மேற்குபக்கம் உள்ள குடிநீர் குழாய் லைனில் ஏல்வால்வு பழுதடைந்துள்ளதை சரிசெய்யும் பணி	0.75
3	வார்டு எண். 21 சிவாஜி நகர் முதல் குறுக்குத் தெருவில் உள்ள உந்து தொட்டியில் பழுதடைந்துள்ள பைப்பினை மாற்றி அமைக்கும் பணி	0.30
4	கருவேல்நாயக்கன்பட்டியில் உள்ள சுத்திகரிப்பு நிலையத்தில் உள்ள 20HP மோட்டார் பழுதடைந்துள்ளதை சரிசெய்யும் பணி, OCEMS-க்கு சுத்திகரிக்கப்பட்ட தொட்டியில் இருந்து தண்ணீர் பம்பு செய்வதற்கு 1.00 HP மோட்டார் புதியதாக பொருத்தும் பணி, ஆழ்துளை கிணற்றில் 1.50 HP மோட்டாரில் ஏற்பட்டுள்ள பழுதுகள் சரிசெய்து புதியதாக பைப் பொருத்தும் பணி மற்றும் பங்களாமேட்டில் உள்ள கழிவுநீர் உந்து நிலையத்தில் ஏர்வால்வு பழுதடைந்துள்ளதை சரிசெய்யும் பணி	4.05

மேற்காணும் 4 பணிகளில் வரிசை எண்.01-ல் குறிப்பிட்டுள்ள பணியினை நகராட்சியின் பொதுநிதியில் இருந்தும், வரிசை எண். 2 முதல் 4 வரை உள்ள பணிகளை குடிநீர் மற்றும் வடிகால் நிதியில் இருந்து செலவினம் மேற்கொள்ள மன்றத்தின் அனுமதி வேண்டப்படுகிறது.

அலுவலக குறிப்பு

1) மன்றம் அனுமதிக்கலாம்.

ந.எண்.க.699 / 2024 / இ1-8

தீர்மான எண்: 1073

தீர்மானம்: அலுவலக குறிப்பு அனுமதிக்கப்பட்டது

ஒம்).பா.ரேணுப்பிரியா,
நகர்மன்றத்தலைவர்,
தேனி-அல்லிநகரம் நகராட்சி.

// உண்மை நகல் //

ஆணையாளர்,
தேனி-அல்லிநகரம் நகராட்சி.