

மன்ற நிகழ்விற்கான கூட்டப்பொருள்

பொருள் எண்: 01

வடலூர் நகராட்சி ஆணையாளர் மற்றும் நகராட்சி பொறியாளர் அவர்களின் அக்டோபர்-2025 நாட்குறிப்பேடு மன்றத்தின் பார்வைக்கும் பதிவிற்கும் வைக்கப்படுகிறது.

பொருள் எண்: 02

VADALUR MUNICIPALITY

Drinking Water Supply By-law

1. In exercise of the powers conferred under sub-section (1) of section 199 of the Tamil Nadu Urban Local Bodies Act, 1998 (Tamil Nadu Act of 1999) the council of Vadalur Municipal Council , hereby makes the following By-Laws with the approval of the Director for regulation of Drinking water supply.
 1. Drinking water supply connection shall be provided only to the houses / buildings assessed by the Vadalur Municipal Council for payment of property tax.
 2. For getting drinking water supply connections, the owner of the building or the tenant of the building with the approval of the owner shall apply to the Commissioner in "Form 1" in the Annexure along with the fees of Rs.100/-, details indicated in the Form 1 and details of property such as copy of sale deed, property tax remittance etc.,
 3. The Municipal Engineer or his/her authorized officer shall scrutinize the application and advise the owner/tenant to remit the deposit depending upon the plinth area as specified in Table-1 either in one or more installments as ordered by the Commissioner based on the Council resolution along with charges towards inspection, road restoration and centage.
 4. The commissioner shall thereafter issue order in Form 2 to provide Drinking water service connection. The connection shall be given through the Vadalur Municipal council Trained Plumbers/Contractors to be engaged by the owner/tenant, under supervision by Vadalur Municipal Council authorities in the order of seniority prepared based on the date of registration of application.
2. For getting drinking water supply connections in the new water supply system provided or being provided as part of any comprehensive water supply improvement scheme, the owner of the building or the tenant of the building with the approval of the owner shall apply to the Commissioner in "Form 1" in the Annexure along with the application fees of Rs.100/-, details indicated in the Form 1 and details of property such as copy of sale deed, property tax remittance etc.,. The commissioner shall thereafter issue order in Form 2 to provide drinking water service connection.
 - i. The drinking water service connection shall be given through the civil works Contractor engaged by the Vadalur Municipal Council Parastatal Agency namely Tamil Nadu Water supply and Drainage Board under any water supply improvement scheme. The Contractor, upon recommendation / approval by the Municipal Engineer, shall provide drinking water service connection under the any water supply improvement project.
 - ii. The Municipal Engineer shall advise the applicants to remit the deposit depending upon the plinth area as specified in Table-1 either in one or more installments (not more than 10 installments) along with Property tax as ordered by the Commissioner. The Parastatal Agency Vadalur Municipal Engineer shall ensure that all the assessed properties (both domestic and non-domestic) are provided with drinking water supply service connections without any omissions.
3. The application under bylaw 1 and 2 received along with the requisite documents will only be considered for providing drinking water supply connection.
4. The Vadalur Municipal Council shall levy the water charges based on the plinth area of the building as per the rates provided in Table-2 for both domestic and non-domestic connections. The water charges shall be levied either on a fixed flat rate basis or based on the volume of water consumed and billed subject to a minimum monthly charge irrespective of the volume of water consumed.
5. The Vadalur Municipal Council shall determine whether a drinking water supply connection is domestic or non-domestic depending upon the type of assessment and the charges shall be levied accordingly.
 - i. The Vadalur Municipal council shall levy the charges based on non-domestic category even though the applicant uses it for domestic purposes in case of the following fully/partially constructed buildings.
 - a. The drinking water supply connections to manufacturing units, business concerns, garden, buildings structures, fountain, swimming pools, luxury resorts and mechanical consumptions, sale place of cattle, firms, private organizations private hospitals, private veterinary hospitals, lodges, recreational places, hotels, theatres and any other business places.
 - b. The drinking water supply connections to buildings owned/leased/rented by business organizations such as railways, security organizations etc, will be considered as non-domestic connections.
 - c. The commercial water connection shall include connections to commercial buildings related to business and work-related buildings which include canteens, restaurants, tea/coffee shops, Marriage halls, theatres and other business places.

- iii. Industrial water connections shall include connection to industrial buildings and all other organizations certified under the Factories Act, 1948 such as soda making companies, ice manufacturing companies, rice mills and all Small-Scale Industries.
 - a. The water connections to buildings owned by the Vadalur Municipal council and maintained by tenants or lessees shall be classified as domestic or non-domestic connection depending on the end use of the building.
 - b. All commercial and industrial connections other than domestic shall be classified as non-domestic.
6. For a domestic water connection, the charges will be levied as per non-domestic rates if the consumption is found to be more than twice the base level of supply as specified in Table-2 consecutively for two billing periods.
 - i
 - ii If any building with a water connection is demolished, then the water connection shall be disconnected. In case of construction of additional floors/area or major renewal works are carried out in the existing domestic building using the Vadalur Municipal Council water, then the
 - iii In case of construction of additional floors/area or major renewal works are carried out in the existing domestic building using the Municipal Corporation / Municipal Council water, then the water consumption will be considered as non-domestic, and charges shall be levied accordingly.
 - iv On completion of such additional construction/renewal works, the consumer shall apply for revised tax assessment to the Vadalur Municipal Council and shall pay the additional charges, including penal charges as applicable and to get an order for conversion to a domestic connection after due verification/inspection by the Municipal Council authorities.
7. (1). For every household assessed under property tax, one water supply connection shall be given. For those connections, flow control valve and gate valve shall be fixed to control the flow of water. Households having water supply connections shall use water only for their exclusive uses and shall not supply water to other households having no water supply connection.
- (2) For the purpose of providing Water supply connection for Apartments.
 - a) While giving water supply connections to apartments having two or more households, every household (**No. of Property tax assessment**) shall be separately assessed, and deposit shall be collected separately from each of the flats or apartments.
 - b) Irrespective of multiple property tax assessments in an apartment, the water supply connection shall be provided as total distribution system, considering the total demand and upon approval by the Vadalur Municipal Engineer. Individual connections will not be provided for each flat. The number of physical connections, size of service connection pipe, size of ferrule and rating of flow control valve shall be designed and decided by the Vadalur Municipal Engineer taking into account the total number of dwellings, total water supply demand etc. and the water service connection shall be provided after getting approval of the Commissioner.
 - C) Every Property tax assessment should be treated as single unit for assessment of water supply connection and user charges and its details are specified in the Table below:-

Sl.No	Apartments	No. of Connection	Deposit	Size of Pipe (in. dia)
1	Up to 4 Flats	1 connection		Decided by City Engineer/Municipal Engineer
2	From 5 to 8 Flats	2 connection		
3	From 9 to 12 Flats	3 connection		
4	Above 12 Flats	1 connection for each 4 Flats		

8. (1) Water supply connections in places of worship, used for public consumption purposes only, will be provided as follows:
 - a. The by-law applicable for providing domestic connections shall be applicable for providing water supply connections to places of worship.
 - b. The administrators of the places of worship are responsible for laying pipelines, maintaining and removal of the same. The costs of maintenance shall be borne by them. The pipe lines shall have 15 mm diameter and shall be fixed with automatically closing water taps to prevent water losses.
 - c. The water supply shall be used only for consumption and the charges shall be levied as per domestic rates.
 - d. Non-domestic water supply connections shall be provided to the shops and other commercial complexes located near by the worship places which are maintained by the same administrators after payment of deposit and all other charges as applicable.

9. (1) **Water Supply.**

The Buildings used for Government educational Institutions and Government Hospitals are exempted from payment of property tax and the water supply charges will be collected as per domestic charges.

Government office buildings and Public sector units:

- (2)
- a. While giving water supply connections, the assessment shall be ensured and the by-laws applicable for providing non-domestic water supply connections shall be followed.
 - b. Irrespective of property tax assessments, the water supply connection shall be provided as total distribution system, considering the total demand and upon approval by the Vadalur Municipal Engineer. Individual connections will not be provided for each building within the premises. The number of physical connections, size of service connection pipe, size of ferrule and rating of flow control valve shall be designed and decided by the Vadalur Municipal Engineer taking into account the total number of students and officials, total water demand etc. and the water service connection(s) shall be provided after getting approval of the Commissioner.
 - c. For providing Water supply connections to the Anganwadis and Municipal School buildings; such buildings are exempted to pay water supply charges.
 - d. Irrespective of property tax assessments, the water supply connection shall be provided as total distribution system, considering the total demand and upon approval by the Vadalur Municipal Engineer. Individual connections will not be provided for each building within the premises. The number of physical connections, size of service connection pipe, size of ferrule and rating of flow control valve shall be designed and decided by the Vadalur Municipal Engineer taking into account the total number of students and officials, total water demand etc. and the water service connection(s) shall be provided after getting approval of the Commissioner.

10. a. While providing water supply connections, ferrules or flow control valves shall be fixed to ensure water supply at the rate of 5 litres per minute (lpm) per connection for domestic connections. All accessories for providing water supply connections such as stoppers, valves, meters etc., including the length of the pipe will be determined by the Vadalur Municipal Engineer or by his/her authorized representative in accordance with the following pipe sizes.

- i. Connection with 15mmdiameter pipe – 10 mmferrule.
- ii. Connection with 20mmdiameter pipe – 15 mmferrule.

If any other measure is required, the same shall be decided by the Vadalur Municipal Engineer. All the fittings, ferrules, meters etc. shall comply with relevant IS Codes and Standards.

b. If the water service pipeline happens to be taken across ditches, underground drainage or small bridges, which the Municipal Engineer considers the same may cause damage to the pipes or may contaminate the water, then iron casing pipes shall be used for protecting the service connection pipes.

11. When the water connection has to be provided for a domestic which is more than 90 meters distance from the water distribution network, the Vadalur Municipal Engineer not below the rank of Assistant engineer shall inspect the building premises and assess the technical feasibility of providing a water supply service connection duly following the above by-laws and provide the connection. If it is found to be technically not feasible, then shall examine whether the existing distribution system could be extended provided the extension shall be carried out in a public road and the design shall comply with the requirements as per CPHEEO Manual so as to provide the water service connection.

12. a. The fittings, joints, meters, taps, valves etc. used for providing the water supply service connections shall generally be visible for carrying out inspection by the Vadalur Municipal Engineer or by his/her authorized persons by the Vadalur Municipal Council . The building owner or the tenant shall facilitate the authorities to monitor/inspect the provision of water service connections. Any objection by the owners/tenants will result in disconnection.
- b. While providing water service connections, all appurtenances shall be mounted within the building premises in a conspicuous area preferably near the entrance, from where the owners/tenants shall tap the water into their underground/ground level/elevated storage facilities.
- c. No electrical motors or pumps of any kind shall be used for sucking water directly from the water distribution pipeline. If the same is detected, the water supply connections will immediately be disconnected, and all such appliances will be seized. If the same detected for the second time, the Vadalur Municipal Council / Vadalur Municipal council shall initiate legal proceedings against the owner/tenant.
- d. If the owner/tenant whose water connection is disconnected due to usage of mechanical devices for sucking water directly from the distribution system, applies for water supply connection again, shall pay a penalty of Rs.10,000/-and disconnection/reconnection charges as applicable along with additional deposit as determined by the Vadalur Municipal Engineer and the Vadalur Municipal Council shall provide reconnection upon receipt of the above amount.

13. a. While taking water supply service connection, the owner/tenant of the building shall provide the water meters approved by the Vadalur Municipal Engineer. The meter shall be housed in a box which shall either be installed on the compound wall or on the ground within the building premises and shall be kept in a locked or sealed condition. The water consumed shall be calculated based on the meter readings to be taken periodically and the consumer shall be billed accordingly as per the applicable rates.
- b. The water meter shall be purchased, installed and maintained by the owner/tenant properly.
- c. If the meter gets damaged, it shall immediately be repaired/replaced by the owner/tenant at their own cost under the supervision of the Municipal Engineer or his/her authorized persons. Failure to replace the defective meters will result in disconnection of water supply.
14. (1) The deposit and water consumption charges shall be payable by the owner/tenant as specified in the Table below: Table-1: Water Supply Service Connection Deposit

Plinth Area of Assessment in Sq.ft	Water Supply Service Connection Deposit (in Rs./connection)			
	Domestic	Non-Domestic	Industrial	Educational /Institution/ Government Offices/Others
Municipal Council				
<=600	5000	10000	10000	10000
601-1200	7500	15000	15000	15000
1201-1800	10000	20000	20000	20000
1801-3500	12500	25000	25000	25000
3501-5000	15000	30000	30000	30000
5001-10000	20000	40000	40000	40000
Above 10001	30000	60000	60000	60000
* This is the base rate for the plinth area of 10001 sq.ft. The deposit for the plinth area above 10001 sq.ft. shall be increased in proportion to the increase in plinth area.				

Table-2: Water Consumption Charges

Plinth Area of Assessment in Sq.ft	Water Consumption Charges (Rs./month/connection)							
	Upto 11 KL for Municipalities				for every additional KL			
	Domestic	Non-Domestic	Industrial	Educational /Institution/ Government Offices/Others	Domestic	Non-Domestic	Industrial	Educational /Institution/ Government Offices/Others
Municipal Council								
<=600	100	300	300	300	15	45	45	45
601-1200	120	360	360	360	18	54	54	54
1201-1800	150	450	450	450	22	66	66	66
1801-3500	180	540	540	540	27	81	81	81
3501-5000	210	630	630	630	38	104	104	104
5001-10000	240	720	720	720	44	132	132	132
Above10001	270	810	810	810	50	150	150	150
* This is the base rate for the plinth area of 10001 sq.ft. The water consumption charge for the plinth area above 10001 sq.ft. shall be increased in proportion to the increase in plinth area.								

- (2). The water supply service connection deposit and water consumption charges shall be increased at the rate of **3% on every year**, so as cover the cost of operation and maintenance of the entire water supply system.
- (3). The owner/occupant, who have already availed the House service connection, shall also liable to pay the remaining amount of deposit for water supply service connection to the extent of the present rate of such Deposit.
15. For the water distribution through private Lorries, through public association, the water charges shall be decided by **the Vadalur Municipal Council** based on the Quantum of Water required and distance of Supply. **The Vadalur Municipal Council** has the right to revise the charges depending on the circumstances.
- During emergency conditions, the distribution of water through Lorry shall be determined by the Commissioner.
- Temporary water supply Connections:
- (2). The Commissioner is authorized to give temporary water supply service connections to places like exhibition, circus, or religion-oriented functions, temporary public gathering etc. considering the estimation given by the Vadalur Municipal Council / Municipal Engineer subject to the following conditions namely:
- (a) Minimum charges per month per connection shall be Rs. 1500/- up,to10 KL and Rs. 50/- for consumption of every additional KL beyond the 10 KL. (b)All temporary water service connections shall be treated as non- domestic. C.Temporary water connections shall be given for a period of 90days only.

16. The consumers shall remit the water consumption charges as per the demand raised either based on water meter readings or based on flat charges within 15 days of receipt of demand notice. Failure to remit the charges within the specified time will result in fine for the charges paid after the date fixed for such payment at one rupee for every hundred rupee up to charges to be paid for every month or less than a month.
 - (1)
 - (2). Any losses arising out of non-payment of charges and subsequent disconnection of water supply services shall be borne by the owner/tenant of the buildings.
 - (3). Upon disconnection of water supply, the charges shall be collected by following the same procedure for collection of property tax.
 - (4). If the owner/tenant requests for reconnection, the The Commissioner is authorized to give temporary water supply service connections to places like exhibition, circus, or religion-oriented functions, temporary public gathering etc. considering the estimation given by the Vadalur Municipal Council / Municipal Engineer subject to the following conditions namely Vadalur Municipal Council shall levy the charges of Rs. 500/- for disconnection and Rs. 500/- for reconnection along with road repair/restoration charges as required and provide the service connection subject to the following conditions namely:
 - (a) Any additional deposit rose by the Council for carrying out disconnection and reconnection should have been paid by the owner/tenant.
 - (b). The entire arrears of water charges and property tax should have been paid by the owner/tenant.
17. If case of no consumption of water, minimum charges shall be levied with no discount. The owner/tenant may temporarily get the connection disconnected by getting written permission from the Commissioner. For this period, no charges shall be levied. However, for disconnection and reconnection, charges of Rs. 500 each along with road repair charges as required, shall be levied.
 - (1)
 - (2). If the owner/tenant wants to disconnect the water connection temporarily or permanently he/she can do so by remitting the disconnection charge of Rs.500/-with an advance period of 30 days.
18. The owner/tenant shall pay Rs. 250/- as meter checking charges, in case of repair in meter or issues in the meter reading within 30days of the meter reading taken by the The Commissioner is authorized to give temporary water supply service connections to places like exhibition, circus, or religion-oriented functions, temporary public gathering etc. considering the estimation given by the Vadalur Municipal Council / Municipal Engineer subject to the following conditions namely Vadalur Municipal Council authorities.
 - (1)
 - (2) If such a complaint is not made within this period and without payment of the charges shall not be considered.
 - (3). After inspection, if the meter/meter reading is found to be defective, the meter checking charges will be refunded and if the meter is found to be in a good working condition, the meter checking charges will be forfeited.
19. If the meter is defective for more than one month or if the meter is found to be not showing the proper reading, the consumption charges shall be calculated based on the consumption during the same month in the previous year. The consumption charges thus calculated by the Vadalur Municipal Engineer or his/her representatives shall be final.
 - (1)
 - (2) Minimum charges shall be levied if the house is locked, and the meter reading is not taken. If the meter reading is taken later and if the water charge is worked out to be more than the minimum charges already remitted, the difference in amount shall be levied along with the subsequent bill amount.
 - (3) The Vadalur Municipal Council shall levy the minimum charges even if the house is found to be locked for more than two readings. If the owner/tenant fails to remit the minimum water charges thus levied by the, then the connection will be disconnected by the Vadalur Municipal Council authority, subsequently the tenant/ owner shall avail water connection by remitting the reconnection charges, disconnection charges along the pending water charges without any due.
20. On inspection by the authorities , if the joints and taps are found to be in a damaged condition, the owner/tenant shall be given notice for repairing the damages. If the damage is not repaired immediately responding the notice then, the Vadalur Municipal Council shall cause action to repair the damage and all costs so incurred for the repair shall be collected from the owner/tenant along with the water charges of the subsequent month.
21. If the owner/tenant is found to use the water obtained from domestic connection for non-domestic purposes without the concern of the concerned authorities, then the owner / tenant shall be required to remit the charges as per the non-domestic rates from that month onwards. If the tenants/ owner want to change the non domestic connection by giving application to Vadalur Municipal Council , then connection will be changed as domestic connection by levying fine amount of Rs. 2000/- . This fine amount will be raised as demand along with the subsequent monthly bill.
22. If any water supply service connection is found to be provided by the owner/tenant on their own without obtaining permission from the Vadalur Municipal Council , then the connection will be treated as un-authorized connection and shall be regularized as regular water supply connection by following the procedure along with a fine amount as below. (a)For domestic connection Rs. 10,000/-
 - b.For non-domestic connection Rs. 20,000/-

23. Where water supply connections required to be provided for common toilets, urinary places and latrines, a tank shall be constructed with the necessary equipment for storage and supply of water in the location as decided by the Municipal Engineer and connection can be provided.
24. If a water supply connection required to be provided for boiler plants, water shall be stored in a separate tank and utilized only from that tank. It shall be ensured that the tank shall be provided with ball valves and other appurtenances including alarms in a visible location for easy inspection.
25. Temporary connections for occasions like marriages or any other occasions may be provided with the approval of the Commissioner on receipt of application in Form 3 along with charges of Rs. 2000/- per day per connection for supply of water up to 20 KL. Necessary pipelines, fittings and other accessories required for providing temporary connection shall be arranged by the applicants at their own cost including restoration of road surface to its original condition. No temporary connection will be provided for a period of more than 5 days.
26. The Municipal Council shall maintain a register for the purpose of water supply connection including the house service register meter, meter reading ledger and card therefore in Form.
27. The Municipal Council AE/JE shall check not less than five percent of the meter readings recorded by the meter reader in a year and the Municipal Council Engineer shall check not less than twenty four meter readings in a year recorded by the meter recorder. The Accountant shall check not less than twenty five percent of the bills section, check and initial the bills so checked.
28. All house connections whether within or outside the premises attached with the Municipal Council water supply mains shall be under the control of the Municipal Council but shall be altered, repaired and kept in proper order at the expense of the owner of the premises to whom they belong or for the use of which they were constructed.
29. The owner/tenant shall not attempt to break the seal or lock or the glass part of the water meter or try to open the meter or alter its contents or try to obstruct the measurement path of the water meter.
 - (1) to open the meter or alter its contents or try to obstruct the measurement path of the water meter.
 - (2) The owner/tenant shall not tap water before it is passing through the water meter.
30. The procedure for providing water connections followed earlier until the above rules are notified shall be null and void.
 - (1) null and void.
 - (2) The owner/tenant while submitting application for taking new water supply connection shall pay all the taxes to the Municipal Council and enclose the copies of receipts.
31. If the Municipal Council notices that water taps are damaged willfully or water connection is misused by the owner/tenant even after giving 24 hours warning notice, the connection shall immediately be disconnected. The Municipal Council will not be responsible for any losses to the owner/tenant on account of such disconnection.
32. Any person causing damage to the Municipal Council property shall be liable for punishment in the following manner. Fine shall be levied up to Rs.500/- initially and if the offence continues despite giving warning notice, running penalty of Rs.100/- per day shall be levied. If the offence continues, water service connection will be disconnected, and legal proceedings will be initiated through the Court of Law.
33. Vandalur Municipal Council shall provide individual water service connections to all the people living below poverty line and shall avoid supply of drinking water through Lorries/HDPE tanks/Public Fountains for day-to-day consumption by the people. However, if it is not technically feasible to provide individual house service connections to households in any particular area, then water can be supplied either through Lorries or HDPE tanks or through Public Fountains after the Resolution by the Council and upon approval by the Chief Engineer, Directorate of Municipal Administration, Chennai.
 - (1) below poverty line and shall avoid supply of drinking water through Lorries/HDPE tanks/Public Fountains for day-to-day consumption by the people. However, if it is not technically feasible to provide individual house service connections to households in any particular area, then water can be supplied either through Lorries or HDPE tanks or through Public Fountains after the Resolution by the Council and upon approval by the Chief Engineer, Directorate of Municipal Administration, Chennai.
 - (2) No person shall take water in containers of capacity more than 30liters from the taps
 - (a.)Water shall be used only for domestic purposes except forEmergencies due to fire accidents. (b.) No person shall be allowed to take baths or wash clothes or clean cattle or clean vehicles from the public water taps.(c.)When other people are waiting, no person shall take water more Than once from the public taps.
 - (3) In addition to the installation of public fountains fixed at the time of formulation of the water supply scheme, no new public fountains except in areas where people belonging to economically weaker sections reside shall be installed. The number of public fountains in such area shall be provided at the ratio of 50 percentage residential buildings which have no house connection of water supply.
 - (4) Wherever economically weaker sections reside, the commissioner may decide whether the existing public fountain may be maintained or the same may be converted into bulk water supply with charges collected from the beneficiaries of such area, but assessing a "NIL" property tax in the name of Community Based organization (CBO).
 - (5) No person shall cause wastage of water provided by the Municipal Council by the misuse of public stand-posts or pipes, drinking fountains of hydrants.

அலுவலகக்குறிப்பு :- மன்றம் அனுமதிக்கலாம்.

(கோப்பு எண்.1975/2025/இ1)

பொருள் எண்.03

வடலூர் நகராட்சியில் 2024 - 2025ம் ஆண்டு தணிக்கை நடைபெற்று வருகிறது. அதற்கான வருவாய் நிதி மற்றும் குடிநீர் நிதிக்கான ஆண்டு கணக்குகள் தயார் செய்யும் சொத்துவரி, தொழில்வரி மற்றும் குடிநீர் வரி வைப்புத்தொகை , முன்பணம் குத்தகை இனங்கள் போன்ற கணக்குகள் தயார் செய்து ஆண்டு கணக்குடன் ஒத்திசைவு செய்து கணினியில் பதிவுகள் ஏற்றி சரி செய்து தர மென்பொருள் நிறுவனத்திற்கு ரூ.70,000/- நகராட்சியின் வருவாய் நிதியிலிருந்து செலவு செய்ய மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலகக்குறிப்பு :- மன்றம் அனுமதிக்கலாம்.

(கோப்பு எண்.4399/2023/பி1)

பொருள் எண்: 04

வடலூர் நகராட்சியில் 01.10.2024 முதல் 31.03.2026 வரையிலான ஆறு காலாண்டுகளுக்கு ஒப்பந்த பணிக்காக பிடித்தம் செய்யப்பட்ட வருமான வரித்தொகையினை வருவான வரித்துறைக்கான வலைதளத்தில் வருமான வரி கணக்கில் பதிவு ஏற்றம் மற்றும் பதிவிறக்கம் செய்யவும் வங்கி வருமான வரி கணக்குடன் ஒப்பிட்டு சரி செய்து (E-Filling) செய்ய தோராய செலவினம் தொகை ரூ.1,80,000/- நகராட்சி வருவாய் நிதியிலிருந்து செலவு செய்ய மன்றத்தின் அனுமதிக்க வைக்கப்படுகிறது.

அலுவலக குறிப்பு :- 1.மன்றம் அனுமதிக்கலாம்.

2.மேற்கண்ட தொகையை மாதம் தோறும் வருவாய் நிதியிலிருந்து வழங்க மன்ற அனுமதிக்கலாம்.

ந.க.எண். 4482/2023/பி1

பொருள் எண்: 05

வடலூர் நகராட்சி வார்டு எண்.19ல் புதியதாக கட்டப்பட்டுள்ள வள்ளலார் பேருந்து நிலைய வடக்கு பக்க கட்டடத்தின் தரைத்தளத்தில் கடை எண்.38க்கு அருகில் உள்ள படிக்கட்டில் மும்முனை மின் இணைப்பு (5KW) அமைத்து தருமாறு தமிழ்நாடு மின்சார வாரியத்திற்கு கடிதம் வைக்கப்பட்டு ஆன்லைன் மூலமாக பதிவேற்றம் செய்யப்பட்டதில் கட்டணம் ஏற்கனவே, ரூ.20,145/- இந்தியன் வங்கி காசோலை எண்.976350, நாள்.26.09.2025ல் செலுத்தப்பட்டுள்ளது. தற்போது மின் இணைப்பு வழங்குவதற்கு விரிவாக்க பணிக்காக ரூ.69,576/- மதிப்பீட்டு தொகை செலுத்துமாறு பட்டியல் வரப்பெற்றுள்ளதை நகராட்சி வருவாய் நிதியில் மேற்கொள்ள மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலகக்குறிப்பு:- மன்றம் அனுமதிக்கலாம்.

(கோப்பு எண். 137/2022/இ1)

பொருள் எண்: 06

மாண்புமிகு தமிழக முதலமைச்சர் அவர்களாகல் அறிவிக்கப்பட்டவாறு நகராட்சியில் பணியுரியும் நிரந்தர தற்காலி தூய்மை பணியாளர்கள், டெங்கு கொசு ஒழிப்பு பணியாளர்கள் மற்றும் தூய்மை பணியில் ஈடுபடும் வாகனங்களின் ஓட்டுநர்களுக்கு தினசரி நகராட்சி மூலம் இலவசமாக உணவு வழங்கப்படும் என அறிவிக்கப்பட்டுள்ளதை தொடர்ந்து இந்நகராட்சியில் பணியுரியும் பணியாளர்களின் விவரம் பின்வருமாறு உணவிற்கான செலவினம்

உணவு வழங்கும் நேரம்	ஒரு நபருக்கான ஒரு வேளை / ஒரு நாள் உணவின் விலை	தேவைப்படும் எண்ணிக்கை	ஒரு நாளைக்கான செலவு தொகை (ரூபாயில்)	ஒரு வருடத்திற்கான மொத்த செலவுத் தொகை (ரூபாயில்)
காலை உணவு	ரூ.39.00	170	6630	2419950
			GST 5%	120998.00
			(மொத்தம் உணவு + GST)	2540948.00

1. விநியோகத்திற்கான செலவினம்

வ.எண்	நகராட்சியின் நிலை	ஒரு மாதத்திற்கு ஆகும் செலவினம் (ரூபாயில்)	ஒரு வருடத்திற்கு ஆகும் செலவினம் (ரூபாயில்)
1.	இரண்டாம் நலை நகராட்சி	40,000	480000
			GST 5%
			மொத்தம் விநியோகத்திற்கான செலவினம் + GST)
			504000

2. உணவு வழங்க டிபன் பாக்கஸ்கள் மற்றம் பை வாங்கும் செலவினம்

தூய்மை பணியாளர்களுக்கு உணவு வழங்குவதற்கான ஒரு நபருக்கு இரண்டு டிபன் பாக்கஸ்கள் (தலா ரூ.295 விலையில்) மற்றம் இரண்டு உணவு வழங்கும் பை (தலா ரூ.190 விலையில்) தேவைப்படுகிறது. அதற்கான செலவினம் ரூ.83667971/ரூபாய். 73098 பணியாளருக்கு ஆகும் என தெரிவிக்கப்படுகிறது. அதன் அடிப்படையில் ஒரு நபருக்கு ரூ.1145/- வீதம், 170 நபருக்கு ஆகும் செலவினம் GST உட்பட 1145x170 = ரூ.194650 /-

வ. எண்	உணவிற்கான செலவினம் GST உட்பட	விநியோக செலவினம் GST உட்பட	டிபன் பாக்ஸ் மற்றும் உணவு வழங்கும் பையிற்கான செலவினம் GST உட்பட	மொத்த செலவினம்
	ரூ.2540948/-	ரூ.504000/-	ரூ.194650/-	ரூ.3239598/-
1.	முதலாமாண்டு செலவினம்			ரூ.3239598/-
2.	இரண்டாமாண்டு செலவினம் 5% ஏற்றத்துடன் (டிபன் பாக்ஸ் மற்றும் உறையிடன் கூடிய பை தவிர்த்து)			ரூ.3197195/-
3.	மூன்றாமாண்டு செலவினம் 5% ஏற்றத்துடன் (டிபன் பாக்ஸ் மற்றும் உறையிடன் கூடிய பை தவிர்த்து)			ரூ.3357055/-
	மூன்றாண்டுகள் மொத்தம்			ரூ.9793848/-

தூய்மை பணியில் ஈடுபடுத்தப்பட்டுள்ள 170 பணியாளர்களுக்கு உணவு வழங்குவதற்கான மொத்த செலவினம் ரூ.9793848/- வருவாய் நிதியில் மேற்கொள்ள மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலகக்குறிப்பு:-

1. மேற்படி பணிக்கான செலவினத்தினை வருவாய் நிதியில் மேற்கொள்ளவும் மன்றத் அனுமதிக்கலாம்.
2. பணியின் அவசர அவசியம் கருதி நகராட்சி நிர்வாக இயக்குநர், சென்னை -28, அவர்களால் மாநில அளவில் உள்ள நகர்ப்புற உள்ளாட்சி அமைப்புகளுக்கு 3 ஆண்டுகளுக்கு ஒப்பந்தப்புள்ளி கோரி நடவடிக்கை தொடர்ந்தமைக்கு மன்றம் பார்வையிட்டு பதிவு செய்யலாம்.

(கோப்பு எண்.2224/2025/இ1)

பொருள் எண்: 07

இந்நகராட்சிக்குட்பட்ட வார்டு எண்.06, ஜெயப்பிரியா நகரில் உள்ள அங்கன்வாடி மையத்தின் மேற்கூரைகள் மிகவும் சேதமடைந்துள்ளதால் குழந்தைகளுக்கு பாதுகாப்பு இல்லாத சூழல் உள்ளதாக பொதுமக்கள் அச்சப்படுகிறார்கள் என அப்பகுதி நகர் மன்ற உறுப்பினர் மற்றும் நகர்மன்ற தலைவர் அவர்களின் அறிவுறுத்தலின்படியும், பொதுமக்கள் வார்டு சிறப்பு கூட்டம் முகாமில் அளிக்கப்பட்ட கோரிக்கையின் படியும் அங்கன் வாடி மேற்கூரை சீரமைக்கும் பணிக்கு தயாரிக்கப்பட்ட மதிப்பீடு ரூ.1.71/- இலட்சம் செலவினத்தை நகராட்சி வருவாய் நிதியில் மேற்கொள்ள மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலக குறிப்பு:- மன்றம் அனுமதிக்கலாம்.

(கோப்பு எண். 2291/2025/இ1)

பொருள் எண்: 08

வடலூர் நகராட்சியில் 27 வார்டுகளிலுள்ள பொதுமக்களின் கோரிக்கையான கொசு தொல்லை அதிகமாக உள்ளதாக, நகராட்சிக்கு கடிதம் வாயிலாகவும், நேரடியாகவும், நகர் மன்ற உறுப்பினர் மூலமாகவும், மாவட்ட ஆட்சித்தலைவர் அவர்கள் மூலமாகவும் மற்றும் மாண்புமிகு வேளாண்மை மற்றும் விவசாயிகள் நலத்துறை அமைச்சர் மூலமாகவும் புகார்கள் வந்தவண்ணம் உள்ளதால், இந்நகராட்சி களப்பணி உதவியாளர் மற்றும் துப்புரவு ஆய்வர் அவர்களின் குறிப்பில் டெங்கு கொசு ஒழிப்பு இயந்திரம் பெரியவகை (Vehicle Mounted Fogging Machine) இல்லாததாலும் சிறிய வகை கொசு ஒழிப்பு இயந்திரத்தின் மூலம் அடிப்பதால் கொசு வகை அழிய இயலாமல் உள்ளது என பொது மக்கள் புகார் தெரிவிப்பதாகவும், எதிர்வரும் காலம் மழை காலம் என்பதால் பொதுமக்களுக்கு நோய்கள் பரவ வாய்ப்புகள் அதிகம் உள்ளதாகவும் இந்நகராட்சிக்கு பெரிய வகை கொசு ஒழிப்பு இயந்திரம் ஒன்று வாங்கி வழங்கிட கேட்டுக்கொண்டுள்ளனர். எனவே பொது மக்களின் நலன் கருதியும் பொதுசுகாதார நலன் கருதியும் இந்நகராட்சிக்கு கொசு ஒழிப்பு இயந்திரம் பெரிய வகை ஒன்று வாங்கி வழங்குவதற்கு ரூ. 6.0 (ரூபாய் ஆறு லட்சம் மட்டும்) மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலகக் குறிப்பு:- மன்றம் அனுமதிக்கலாம்.

கோ.எண்.2260/2025/எச்1

பொருள் எண்: 09

அரசாணை (நிலை) எண்.324 நகராட்சி நிர்வாகம் மற்றும் குடிநீர் வழங்கல் (தேர்தல்) துறை நாள்.17.10.2025-ன் படியும், நகராட்சி நிர்வாக இயக்குநர், சென்னை அவர்களின் சுற்றறிக்கை ந.க.எண்.24470/2019/எம்எ2, நாள்.18.10.2025-ன் அறிவுரையின் படியும் பொதுமக்களுக்கு வழங்கப்பட்டு வரும் அடிப்படை சேவைகளை மேம்படுத்துமாறு தெரிவிக்கப்பட்டதை தொடர்ந்து இந்நகராட்சிக்குட்பட்ட பகுதியில் வார்டு சிறப்பு கூட்டம் முகாம் 27.10.2025-ல் திங்கள் கிழமை நடைபெற்றது. இம்முகாமில் வார்டு எண்.11, பிள்ளையார் கோயில் தெரு, பின்புறம் உள்ள சிமெண்ட் சாலை மிகவும் பழுதடைந்து பொதுமக்கள் பயன்படுத்த முடியாத நிலையில் உள்ளதால் அதனை புனரமைப்பு செய்யுமாறு செய்யுமாறு அப்பகுதி பொதுமக்கள் கோரிக்கை மனு அளிக்கப்பட்டதை தொடர்ந்து அப்பகுதி நகர் மன்ற உறுப்பினர் மற்றும் நகர்மன்ற தலைவர் அவர்களின் அறிவுறுத்தலின்படி மேற்படி, பகுதியில் சிமெண்ட் கான்கிரீட் சாலை புனரமைக்கும் பணிக்கு தயார்

செய்யப்பட்ட மதிப்பீடு ரூ.10.90/- இலட்சம் செலவினத்தினை நகராட்சி வருவாய் நிதியில் மேற்கொள்ள மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலக குறிப்பு :- .மன்றம் அனுமதிக்கலாம்.

(கோப்பு எண். 2313/2025/இ1)

பொருள் எண்: 10

அரசாணை (நிலை) எண்.324 நகராட்சி நிர்வாகம் மற்றும் குடிநீர் வழங்கல் (தேர்தல்) துறை நாள்.17.10.2025-ன் படியும், நகராட்சி நிர்வாக இயக்குநர், சென்னை அவர்களின் சுற்றறிக்கை ந.க.எண்.24470/2019/எம்எ2, நாள்.18.10.2025-ன் அறிவுரையின் படியும் பொதுமக்களுக்கு வழங்கப்பட்டு வரும் அடிப்படை சேவைகளை மேம்படுத்துமாறு தெரிவிக்கப்பட்டதை தொடர்ந்து இந்நகராட்சிக்குட்பட்ட பகுதியில் வார்டு சிறப்பு கூட்டம் முகாம் 27.10.2025-ல் திங்கள் கிழமை நடைபெற்றது. இம்முகாமில் வார்டு எண்.08, அய்யனார் கோவில் தெரு மண்சாலையாக உள்ளதை சிமெண்ட் சாலையாக அமைத்து தருமாறு அப்பகுதி பொதுமக்கள் கோரிக்கை மனு அளிக்கப்பட்டதை தொடர்ந்து அப்பகுதி நகர் மன்ற உறுப்பினர் மற்றும் நகர்மன்ற தலைவர் அவர்களின் அறிவுறுத்தலின்படி மேற்படி, பகுதியில் சிமெண்ட் கான்கிரீட் சாலை அமைக்கும் பணிக்கு தயார் செய்யப்பட்ட மதிப்பீடு ரூ.8.30/- இலட்சம் செலவினத்தினை நகராட்சி வருவாய் நிதியில் மேற்கொள்ள மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலக குறிப்பு :- .மன்றம் அனுமதிக்கலாம்.

(கோப்பு எண். 2314/2025/இ1)

பொருள் எண்: 11

அரசாணை (நிலை) எண்.324 நகராட்சி நிர்வாகம் மற்றும் குடிநீர் வழங்கல் (தேர்தல்) துறை நாள்.17.10.2025-ன் படியும், நகராட்சி நிர்வாக இயக்குநர், சென்னை அவர்களின் சுற்றறிக்கை ந.க.எண்.24470/2019/எம்எ2, நாள்.18.10.2025-ன் அறிவுரையின் படியும் பொதுமக்களுக்கு வழங்கப்பட்டு வரும் அடிப்படை சேவைகளை மேம்படுத்துமாறு தெரிவிக்கப்பட்டதை தொடர்ந்து இந்நகராட்சிக்குட்பட்ட பகுதியில் வார்டு சிறப்பு கூட்டம் முகாம் 28.10.2025-ல் செவ்வாய் கிழமை நடைபெற்றது. இம்முகாமில் வார்டு எண்.19, முருகா தியோட்டர் சிமெண்ட் சாலை மிகவும் பழுதடைந்து பொதுமக்கள் பயன்படுத்த முடியாத நிலையில் உள்ளதால் அதனை புனரமைப்பு செய்யுமாறு அப்பகுதி பொதுமக்கள் கோரிக்கை மனு அளிக்கப்பட்டதை தொடர்ந்து அப்பகுதி நகர் மன்ற உறுப்பினர் மற்றும் நகர்மன்ற தலைவர் அவர்களின் அறிவுறுத்தலின்படி மேற்படி, பகுதியில் சிமெண்ட் கான்கிரீட் சாலை அமைக்கும் பணிக்கு தயார் செய்யப்பட்ட மதிப்பீடு ரூ.12.60/- இலட்சம் செலவினத்தினை நகராட்சி வருவாய் நிதியில் மேற்கொள்ள மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலக குறிப்பு :- .மன்றம் அனுமதிக்கலாம்.

(கோப்பு எண்.2315/2025/இ1)

பொருள் எண்: 12

அரசாணை (நிலை) எண்.324 நகராட்சி நிர்வாகம் மற்றும் குடிநீர் வழங்கல் (தேர்தல்) துறை நாள்.17.10.2025-ன் படியும், நகராட்சி நிர்வாக இயக்குநர், சென்னை அவர்களின் சுற்றறிக்கை ந.க.எண்.24470/2019/எம்எ2, நாள்.18.10.2025-ன் அறிவுரையின் படியும் பொதுமக்களுக்கு வழங்கப்பட்டு வரும் அடிப்படை சேவைகளை மேம்படுத்துமாறு தெரிவிக்கப்பட்டதை தொடர்ந்து இந்நகராட்சிக்குட்பட்ட பகுதியில் வார்டு சிறப்பு கூட்டம் முகாம் 28.10.2025-ல் செவ்வாய் கிழமை நடைபெற்றது. இம்முகாமில் வார்டு எண்.24, தாழன் குட்டை கருமகாரிய துறை பொதுமக்கள் பயன்படுத்த முடியாத நிலையில் உள்ளதால் அதனை புதுப்பித்து தருமாறு அப்பகுதி பொதுமக்கள் கோரிக்கை மனு அளிக்கப்பட்டதை தொடர்ந்து அப்பகுதி நகர் மன்ற உறுப்பினர் மற்றும் நகர்மன்ற தலைவர் அவர்களின் அறிவுறுத்தலின்படி மேற்படி, பகுதியில் உள்ள தாழன் குட்டை கருமகாரிய

துறையை புதுபிக்கும் பணிக்கு தயார் செய்யப்பட்ட மதிப்பீடு ரூ.2.10/- இலட்சம் செலவினத்தினை நகராட்சி வருவாய் நிதியில் மேற்கொள்ள மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலக குறிப்பு :- மன்றம் அனுமதிக்கலாம்.

கோப்பு எண்.2316/2025/இ1

பொருள் எண்: 13

வடலூர் நகராட்சி வார்டு எண்.01 முதல் 27 வார்டுகளில் உள்ள 27 மேல்நிலை நீர்தேக்க தொட்டி மற்றும் 49 ஆழ்துளை கிணறுகள் மூலம் குடிநீர் விநியோகம் செய்யப்பட்டு வருகிறது. மேற்கண்ட மின்மோட்டார்கள் அடிக்கடி ஏற்படும் Fuse, நகராட்சிக்கு சொந்தமான ஜெனரேட்டர்கள் கையாளவும் மற்றும் அலுவலகம் மேல்நிலை நீர்தேக்க தொட்டி வளாகம் போன்ற இடங்களில் மின் இயக்க பணிகள் மேற்கொள்ள இந்நகராட்சியில் மின்னாளர் நிலை II பணி காலியாக இருப்பதாலும், குடிநீர் பணியின் அவசியம் கருதியும் ஒரு மின்னாளர் மற்றும் ஒரு

மின் கம்பி உதவியாளர் மொத காலத்திற்கு வெளிகொணர்வு முகமை மூலம் அமர்த்தும் பணிகளுக்கு தயாரிக்கப்பட்ட மதிப்பீடு ரூ.3.00 செலவினத்தினை நகராட்சி குடிநீர் நிதியில் மேற்கொள்ள மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலகக்குறிப்பு :- மன்றம் அனுமதிக்கலாம்.

ந.க.எண்.874/2024/இ1.

பொருள் எண்: 14

வடலூர் நகராட்சி எல்லைக்குட்பட்ட வார்டு எண்.12, காமராஜ் நகர் மற்றும் விவேகானந்தா சாலை மண் சாலைகள் மிகவும் சேதமடைந்து குண்டும் குழியுமாக உள்ளதால் மழைகாலங்களில் மழைநீர் தேங்கி பொது மக்கள் வாகன போக்குவரத்திற்கும், பள்ளிக்கு செல்லும் மாணவ / மாணவியர்கள் கடும் சிரமத்திற்கு ஆளாகும் சூழ்நிலை ஏற்படுவதால் அப்பகுதி நகர்மன்ற உறுப்பினர் மற்றும் நகர்மன்ற தலைவர் அவர்களின் அறிவுறுத்தலின்படி மேற்படி, பகுதியில் அமைந்துள்ள மண்சாலைகளை சிமெண்ட் சாலைகளாக அமைக்கும் பணிக்கு தயாரிக்கப்பட்ட மதிப்பீடு ரூ.9.10 இலட்சத்தினை நகராட்சி வருவாய் நிதியில் மேற்கொள்ள மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலகக்குறிப்பு :- மன்றம் அனுமதிக்கலாம்.

கோப்பு.எண்.2319/2025/இ1

பொருள் எண்: 15

வடலூர் நகராட்சி எல்லைக்குட்பட்ட வார்டு எண்.16, சோமசுந்தரம் தெரு மற்றும் இரயில்வே ஸ்டோவ்ஷன் 2வது தெரு மண் சாலைகள் மிகவும் சேதமடைந்து குண்டும் குழியுமாக உள்ளதால் மழைகாலங்களில் மழைநீர் தேங்கி பொது மக்கள் வாகன போக்குவரத்திற்கும், பள்ளிக்கு செல்லும் மாணவ / மாணவியர்கள் கடும் சிரமத்திற்கு ஆளாகும் சூழ்நிலை ஏற்படுவதால் அப்பகுதி நகர்மன்ற உறுப்பினர் மற்றும் நகர்மன்ற தலைவர் அவர்களின் அறிவுறுத்தலின்படி மேற்படி, பகுதியில் அமைந்துள்ள மண்சாலைகளை சிமெண்ட் சாலைகளாக அமைக்கும் பணிக்கு தயாரிக்கப்பட்ட மதிப்பீடு ரூ.10.20 இலட்சத்தினை நகராட்சி வருவாய் நிதியில் மேற்கொள்ள மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலகக்குறிப்பு :- மன்றம் அனுமதிக்கலாம்.

கோப்பு.எண்.2320/2025/இ1

பொருள் எண்: 16

வடலூர் நகராட்சி எல்லைக்குட்பட்ட வார்டு எண்.03, பெரிய காலனி பகுதியில் அமைந்துள்ள மழைநீர் வடிகால் திறந்தவாறு இருப்பதாலும், வாய்க்காலின் ஆழம் அதிகமாக இருப்பதாலும், மழைக்காலங்களில் மழைநீர் வடிய முக்கிய கால்வாயாக இருப்பதாலும் குழந்தைகள் மற்றும் பொதுமக்களின் பாதுகாப்பு நலன் கருதி அப்பகுதி நகர்மன்ற உறுப்பினர் மற்றும் நகர்மன்ற தலைவர் அவர்களின் அறிவுறுத்தலின்படி வடிகாலுக்கு Cover slab அமைக்கும் பணிக்கு தயாரிக்கப்பட்ட

மதிப்பீடு ரூ.9.20 இலட்சத்தினை நகராட்சி வருவாய் நிதியில் மேற்கொள்ள மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலக்குறிப்பு :- மன்றம் அனுமதிக்கலாம்.

கோப்பு.எண்.2321/2025/இ1

பொருள் எண்: 17

அரசாணை (நிலை) எண்.324 நகராட்சி நிர்வாகம் மற்றும் குடிநீர் வழங்கல் (தேர்தல்) துறை நாள்.17.10.2025-ன் படியும், நகராட்சி நிர்வாக இயக்குநர், சென்னை அவர்களின் சுற்றறிக்கை ந.க.எண்.24470/2019/எம்எ2, நாள்.18.10.2025-ன் அறிவுரையின் படியும் பொதுமக்களுக்கு வழங்கப்பட்டு வரும் அடிப்படை சேவைகளை மேம்படுத்துமாறு தெரிவிக்கப்பட்டதை தொடர்ந்து இந்நகராட்சிக்குட்பட்ட பகுதியில் வார்டு சிறப்பு கூட்டம் முகாம் 27.10.2025-ல் திங்கள் கிழமை நடைபெற்றது. இம்முகாமில் வார்டு எண்.08, ஆர்.சி.சி பூங்கா தெருவில் அமைந்துள்ள பூங்காவை சீரமைத்து தருமாறு அப்பகுதி பொதுமக்கள் கோரிக்கை மனு அளிக்கப்பட்டதை தொடர்ந்து அப்பகுதி நகர் மன்ற உறுப்பினர் மற்றும் நகர்மன்ற தலைவர் அவர்களின் அறிவுறுத்தலின்படி மேற்படி, பகுதியில் உள்ள பூங்கா மேம்பாட்டு பணிக்கு தயார் செய்யப்பட்ட மதிப்பீடு ரூ.4.00/- இலட்சம் செலவினத்தினை நகராட்சி வருவாய் நிதியில் மேற்கொள்ள மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலக குறிப்பு :- மன்றம் அனுமதிக்கலாம்.

(கோப்பு எண்.2317/2025/இ1)

பொருள் எண்: 18

வடலூர் நகராட்சி எல்லைக்குட்பட்ட வார்டு எண்.14, சாந்தி நகர் தொழில்துறை எஸ்டேட் இணைப்பு மண் சாலைகள் மிகவும் சேதமடைந்து குண்டும் குழியுமாக உள்ளதால் மழைகாலங்களில் மழைநீர் தேங்கி பொது மக்கள் வாகன போக்குவரத்திற்கும், பள்ளிக்கு செல்லும் மாணவ / மாணவியர்கள் கரும் சிரமத்திற்கு ஆளாகும் சூழ்நிலை ஏற்படுவதால் அப்பகுதி நகர்மன்ற உறுப்பினர் மற்றும் நகர்மன்ற தலைவர் அவர்களின் அறிவுறுத்தலின்படி மேற்படி, பகுதியில் அமைந்துள்ள மண்சாலைகளை சிமெண்ட் சாலைகளாக அமைக்கும் பணி மற்றும் சிறு கல்வெட்டு அமைக்கும் பணிக்கு தயாரிக்கப்பட்ட மதிப்பீடு ரூ.4.50 இலட்சத்தினை நகராட்சி வருவாய் நிதியில் மேற்கொள்ள மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலக்குறிப்பு :- மன்றம் அனுமதிக்கலாம்.

கோப்பு.எண்.2322/2025/இ1

பொருள் எண்: 19

வடலூர் நகராட்சியில் அமைந்துள்ள திருஅருட்பிரகாச வள்ளலார் தெய்வநிலையம் இந்து அறநிலையத்துறையின் மூலம் ஆண்டுதோறும் தைப்பூசம் திருவிழா சிறப்பாக கொண்டாடப்பட்டு வருகிறது. இந்த வருடம் பிப்ரவரி 2026 ஆம் ஆண்டு வருவதால் பொதுசுகாதார பணிகள் மேற்கொள்வதற்கு தேவையான தளவாடப்பொருட்கள், கிருமிநாசினிகள் வாங்கி பயன்படுத்துவதற்கு செலவினம் ரூ.6.00 (ரூபாய் ஆறு லட்சம்). இதனை அரசு அங்கீகாரம் பெற்ற நிறுவனமான தமிழ்நாடு மல்டிபர்பர்ஸ் நிறுவனம், திருச்சிராப்பள்ளி அவர்களிடம் வாங்குவதற்கு மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலகக்குறிப்பு- மன்றம் அனுமதிக்கலாம்.

கோப்பு எண் 2318/2025/எச்1

பொருள் எண்: 20

வடலூர் நகராட்சிக்கு சொந்தமான புதிதாக கட்டி முடிக்கப்பட்டுள்ள பேருந்து நிலைய கடைகளுக்கு மாத கட்டணம் நிர்ணயம் செய்து வசூலிக்க 01.09.2025, 02.09.2025 மற்றும் 03.09.2025 அன்று நடைபெற்ற ஏலம்/ஒப்பந்தப்புள்ளிகளில் ஏலம்/ஒப்பந்தப்புள்ளி போக கடைகளுக்கு 29.10.2025 மற்றும் 05.11.2025 ஆம் தேதியில் மறுஏலம்/மறுஒப்பந்தப்புள்ளியில் கீழ்க்கண்ட விபரப்படி ஒப்பந்தப்புள்ளி மற்றும் ஏலம் நடைபெற்றது.

வ. எண்	கடை எண்	கலந்து கொண்ட ஏலதாரர்கள் விபரம் மற்றும் ஏலத் தொகை ரூ	தொகை	கலந்து கொண்ட ஒப்பந்ததாரர்கள் விபரம் மற்றும் ஏலத்தொகை ரூ	தொகை	கடை எண்	உயர்ந்தபட்ச ஏலதாரர் அல்லது ஒப்பந்ததாரர் கோரிய பெயர் மற்றும் தொகை ரூ	தொகை
1	2	3	4	5	6	7	8	9
A BLOCK								
வெளிப்புற கடை மேல்தளம்								
1	55			ராணி	8050	55	ராணி	8100
				ராணி	8100			
	60			செந்தில்வடிவு	8100	60	செந்தில் வடிவு	8100
				கோதை கஸ்தூரி	8000			

மேற்கண்டள்ள விபரப்படி நடைபெற்ற ஏலம் மற்றும் ஒப்பந்தப்புள்ளி பட்டியலின்படி சம்பந்தப்பட்ட குத்தகை கடைகளுக்கு கலம் எண் 8-ல் கண்டள்ள உயர்ந்தபட்ச ஏலம் மற்றும் அல்லது ஒப்பந்தப்புள்ளி கோரிய குத்தகைதாரர்களுக்கு ஏலம் மற்றும் குத்தகை நிபந்தனைகளுக்குட்பட்டு 12 ஆண்டுகள் குத்தகையினை நடத்திக்கொள்ளவும், ஒவ்வொரு ஆண்டும் 5 சதவீதம் உயர்வு செய்து அதற்கான 18 சதவீதம் ஜிஎஸ்டி தொகையினை செலுத்தி குத்தகையினை புதுப்பித்துக்கொள்ளவும் சம்பந்தப்பட்ட ஏலம் மற்றும் ஒப்பந்ததாரர்களுக்கு உத்திரவு வழங்க மன்ற அனுமதி வேண்டப்படுகிறது.

அலுவலகக்குறிப்பு:- மேற்படி பட்டியலில் கண்டள்ள உயர்ந்தபட்ச ஏலம்/ஒப்பந்தப்புள்ளி கோரியுள்ள குத்தகைதாரர்களுக்கு ஏலம் மற்றும் ஒப்பந்தப்புள்ளி நிபந்தனைகளுக்குட்பட்டு பணி உத்திரவு வழங்கவும் மேற்படி குத்தகை இனங்களுக்கு கடை ஒப்படைந்த நாள் முதல் கேட்பு எழுப்பி வருலிக்கவும் மன்ற அனுமதி வழங்கலாம்.

(ந.க.எண் 170/2025/அ1)

பொருள் எண்: 21

அரசாணை (நிலை) எண்.324 நகராட்சி நிர்வாகம் மற்றும் குடிநீர் வழங்கல் (தேர்தல்) துறை நாள்.17.10.2025-ன் படியும், நகராட்சி நிர்வாக இயக்குநர், சென்னை அவர்களின் சுற்றறிக்கை ந.க.எண்.24470/2019/எம்எ2, நாள்.18.10.2025-ன் அறிவுரையின் படியும் பொதுமக்களுக்கு வழங்கப்பட்டு வரும் அடிப்படை சேவைகளை மேம்படுத்துமாறு தெரிவிக்கப்பட்டதை தொடர்ந்து இந்நகராட்சிக்குட்பட்ட பகுதியில் வார்டு சிறப்பு கூட்டம் முகாம் 27.10.2025-ல் திங்கள் கிழமை நடைபெற்றது. இம்முகாமில் வார்டு எண்.08, சிதம்பரம் தார் சாலையினை சீரமைத்து தருமாறு அப்பகுதி பொதுமக்கள் கோரிக்கை மனு அளிக்கப்பட்டதை தொடர்ந்து அப்பகுதி நகர் மன்ற உறுப்பினர் மற்றும் நகர்மன்ற தலைவர் அவர்களின் அறிவுறுத்தலின்படி மேற்படி, பகுதியில் உள்ள சிதம்பரம் தார்சாலையினை சீரமைக்கும் பணிக்கு தயார் செய்யப்பட்ட மதிப்பீடு ரூ.4.00/- இலட்சம் செலவினத்தினை நகராட்சி வருவாய் நிதியில் மேற்கொள்ள மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலக குறிப்பு:- மன்றம் அனுமதிக்கலாம்.

(கோப்பு எண்.2321/2025/இ1)

பொருள் எண்: 22

இந்நகராட்சிக்குட்பட்ட வார்டு எண்.19,ல் அமைக்கப்பட்டுள்ள புதிய பேருந்து நிலையத்தில் பயணிகள் அமரும் இடம், தாய்மார்கள் பாலூட்டும் அறை, பொருட்கள் பாதுகாப்பு அறை அனைத்திற்கும் இருக்கை வசதி, மற்றும் தீயணைப்பு கருவிகள் (Fire Extinguisher), பயணிகளுக்கு சுத்திகரிக்கப்பட்ட குடிநீர் வசதி மற்றும் இதர அடிப்படை வசதிகள் போன்ற பணிகள் மேற்கொள்ள தயாரிக்கப்பட்ட மதிப்பீடு ரூ.15.00 இலட்சம் இந்நகராட்சியின் வருவாய் நிதியில் மேற்கொள்ள மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலக குறிப்பு:- மன்றம் அனுமதிக்கலாம்.

(கோப்பு எண்.2347 /2025/இ1)

பொருள் எண்: 23

மாண்புமிகு வேளாண்மை மற்றும் உழவர் நலத்துறை அமைச்சர் அவர்களின் நேரடி கள ஆய்வு அறிவுரையின்படி, வடலூர் நகராட்சி எல்லைக்குட்பட்ட வார்டு எண்.20-ல் ஏற்கனவே சுமார் 10 ஆண்டுகளுக்கு முன் அமைக்கப்பட்ட ஆழ்துளை கிணறு சுமார் 350 அடி ஆழத்தில் இடிவாரம் ஏற்பட்டு பயன்படுத்த முடியாத நிலையில் உள்ளது. மேலும், நான்கு மாதங்களுக்கு முன்பு NLC CSR நிதியின் சந்தை வளாகத்தில் புதியதாக அமைக்கப்பட்ட ஆழ்துளை கிணறு தற்பொழுது இடிவாரம் வாங்கி பயன்படுத்த முடியாத சூழ்நிலை உள்ளதால் அப்பகுதிக்குட்பட்ட பொது மக்கள் குடிநீர் வசதியில்லாமல் சிரமத்திற்கு உள்ளாவதால் அப்பகுதி நகர்மன்ற உறுப்பினர் மற்றும் நகர் மன்ற தலைவர் அவர்களின் அறிவுரையின் படியும், பொதுமக்களின் நலன் கருதியும் மேற்காணும் பகுதியில் புதியதாக ஆழ்துளை கிணறு அமைக்கும் பணிக்கு தயாரிக்கப்பட்ட மதிப்பீடு ரூ.9.90 இலட்சம் தொகையினை நகராட்சி குடிநீர் நீதியில் மேற்கொள்ள மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலக குறிப்பு :- .மன்றம் அனுமதிக்கலாம்.

(கோப்பு எண்.2347 /2025/இ1)

பொருள் எண்: 24

மாண்புமிகு வேளாண்மை மற்றும் உழவர் நலத்துறை அமைச்சர் அவர்களின் நேரடி கள ஆய்வு அறிவுரையின்படி, வடலூர் நகராட்சி எல்லைக்குட்பட்ட வார்டு எண்.27-ல் ஏற்கனவே சுமார் 10 ஆண்டுகளுக்கு முன் அமைக்கப்பட்ட ஆழ்துளை கிணறு ஆழம் தூர்ந்தும் குடிநீர் மிகவும் கலங்கலாக பயன்படுத்த முடியாத நிலையும், தரம் குறைந்தும் உள்ளதால், பொது மக்கள் குடிநீர் வசதியில்லாமல் சிரமத்திற்கு உள்ளாவதால் அப்பகுதி நகர்மன்ற உறுப்பினர் மற்றும் நகர் மன்ற தலைவர் அவர்களின் அறிவுரையின் படியும், பொதுமக்களின் நலன் கருதியும் மேற்காணும் பகுதியில் புதியதாக ஆழ்துளை கிணறு அமைக்கும் பணிக்கு தயாரிக்கப்பட்ட மதிப்பீடு ரூ.9.80 இலட்சம் தொகையினை நகராட்சி குடிநீர் நீதியில் மேற்கொள்ள மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலக குறிப்பு :- .மன்றம் அனுமதிக்கலாம்.

(கோப்பு எண்.2347 /2025/இ1)

பொருள் எண்: 25

வடலூர் நகராட்சிக்குட்பட்ட 27 வார்டுகளிலும் உள்ள சாலைகளை முழுமையாக ஆய்வு செய்து சாலைப்பதிவேடு மற்றும் நகராட்சி கணக்கில் உரிய பதிவுகள் மேற்கொண்டு அறிக்கை சமர்ப்பிக்க நகராட்சி நிர்வாக இயக்குநர், சென்னை அவர்களின் ஆய்வுக்கூட்டத்தில் தெரிவிக்கப்பட்டுள்ளது. அதன்படி, இந்நகராட்சிக்குட்பட்ட சாலைகளை ஆய்வு செய்து உரிய விவரத்தினை அளிக்முமாறு நகரமைப்பு ஆய்வாளர் அவர்களுக்கு அறிவுறுத்தியதை தொடர்ந்து, நகரமைப்பு ஆய்வாளர் அவர்கள் கள ஆய்வு செய்ததில் மொத்தம் 698 சாலைகள் மட்டுமே சாலைப் பதிவேட்டிலும் நகராட்சி கணக்கிலும் இருந்து வருகிறது. மீதம் கீழ்காணும் விபரப்படி விடுபட்டுள்ள 78 சாலைகளை நகராட்சி கணக்கு மற்றும் சாலை பதிவேட்டில் பதிவு செய்ய நகரமைப்பு ஆய்வர் அவர்களின் 05.11.2025 தேதிய குறிப்பின் படி மன்றத்தின் அனுமதி வேண்டப்படுகிறது.

வ. எண்.	சாலையின் பெயர்		நீளம்	சாலையின் மொத்த அகலம்	வாகனம் செல்லும் சாலையின் அகலம்	சாலையின் தன்மை
1	இராமமூர்த்தி ரெட்டியார் நகர் பூங்காவுக்கு இடது பக்கம்(182001L014)	சந்து	75.00	3.00	-	மண்சாலை
2	ரோட்டு பூசாலிக்குப்பம் பண்ணாட்டி மெயின் ரோடு (182001L015)	சந்து	75.00	3.00	-	மண்சாலை
3	பூசாலிக்குப்பம் மெயின் ரோடு (182001R558)	ரோடு	350.00	6.00	4.00	சிமெண்ட் சாலை

4	பூசாலிக் குப்பம் மெயின் ரோடு (182001R559)	ரோடு	80.00	6.00	4.00	சிமெண்ட் சாலை
5	பாரதிதாசன் தெரு முதல் குறுக்குத் தெரு (182001L016)	சந்து	60.00	3.00	-	மண்சாலை
6	இராமமூர்த்தி ரெட்டியார் நகர் பூங்காவிற்ரு முன்பக்கம்(182001R560)	ரோடு	290.00	6.00	-	மண்சாலை
7	முத்துகுமாரசாமி நகர் (182001R561)	ரோடு	1500.00	6.00	-	மண்சாலை
8	கமலாம்பாள் நகர் (182001R562)	ரோடு	150.00	6.00	-	மண்சாலை
9	பிபி எஸ் நகர் மெயின் ரோடு (182002R563)	ரோடு	130.00	6.00	4.50	சிமெண்ட் சாலை
10	சேரன் நகர் (182002R564)	ரோடு	200.00	6.00	-	மண்சாலை
11	பாரத் நகர் தார் சாலை 1வது (182002R565)	ரோடு	224.00	6.00	-	மண்சாலை
12	பாரத் நகர் தார் சாலை 2வது (182002R566)	ரோடு	200.00	6.00	-	மண்சாலை
13	பிபி எஸ் நகர் விரிவாக்கம் சாலை (182002R567)	ரோடு	250.00	6.00	4.00	தார் சாலை
14	சின்ன காலனி கிழக்கு தெரு (182003L017)	சந்து	70.00	3.00	-	மண்சாலை
15	சின்ன காலனி - கஞ்சமநாதபுரம் காலனிவரை (182003S128)	தெரு	250.00	4.00	3.50	சிமெண்ட் சாலை
16	இளவரசன் பட்டு தெரு அருகில் சாலை (182004R568)	ரோடு	230.00	6.00	4.50	சிமெண்ட் சாலை
17	கோவிந்தசாமி நகர் குறுக்குத் தெரு (182005L018)	சந்து	70.00	3.00	-	மண்சாலை
18	வேலாயுதம் நகர் - 2 (182005R569)	ரோடு	225.00	6.00	4.00	தார் சாலை
19	கோவிந்தசாமி நகர் - 5 (182005R570)	ரோடு	120.00	6.00	4.00	தார் சாலை
20	கோவிந்தசாமி நகர் - 6 (182005R571)	ரோடு	150.00	6.00	-	மண்சாலை
21	கோவிந்தசாமி நகர் - 1வது குறுக்கு தெரு (182005R572)	ரோடு	130.00	6.00	4.00	சிமெண்ட் சாலை
22	கோவிந்தசாமி நகர் - 12 (182005R573)	ரோடு	120.00	6.00	4.00	சிமெண்ட் சாலை
23	கோவிந்தசாமி நகர் குறுக்குத் தெரு (182005L019)	சந்து	70.00	3.00	-	மண்சாலை
24	தம்புசாமி பூங்கா அருகில் (182005L020)	சந்து	60.00	3.00	-	மண்சாலை
25	வஉ சி நகர் விரிவாக்கம் சாலை (182006R574)	ரோடு	240.00	6.00	4.00	சிமெண்ட் சாலை
26	ஜெயப்ரியா நகர் 1வது எக்ஸ்என் (182006R575)	ரோடு	90.00	6.00	-	மண்சாலை
27	ஜெயப்ரியா நகர் 2வது எக்ஸ்டன்ஷன் (182006R576)	ரோடு	90.00	6.00	-	மண்சாலை
28	அருள்ஜோதி நகர் இடது பக்க 2வது (182007R577)	ரோடு	135.00	6.00	-	மண்சாலை
29	அருள்ஜோதி நகர் இடது 3வது சாலை (182007R578)	ரோடு	100.00	6.00	-	மண்சாலை
30	அருள்ஜோதி நகர் விரிவாக்கம் சாலை 1வது (182007R579)	ரோடு	500.00	6.00	-	மண்சாலை
31	அருள்ஜோதி நகர் விரிவாக்கம் சாலை 2வது (182007R580)	ரோடு	200.00	6.00	-	மண்சாலை

32	காட்டுக்கொல்லை வடக்கு 1வது தெரு (182007R581)	ரோடு	200.00	6.00	-	மண்சாலை
33	காட்டுக்கொல்லை வடக்கு 2வது தெரு (182007R582)	ரோடு	600.00	6.00	4.00	சிமெண்ட் சாலை
34	காட்டுக்கொல்லை மெயின் ரோடு விரிவாக்கம் (182007R583)	ரோடு	200.00	6.00	4.50	தார் சாலை
35	காட்டுக்கொல்லை மெயின் ரோடு 2வது குறுக்கு தெரு (182007R584)	ரோடு	225.00	6.00	-	மண்சாலை
36	தனசிங் 1வது சாலை (182008R585)	ரோடு	110.00	6.00	4.00	சிமெண்ட் சாலை
37	அண்ணாநகர் விரிவாக்கும் 1 (182009R587)	ரோடு	140.00	6.00	4.00	சிமெண்ட் சாலை
38	அண்ணாநகர் விரிவாக்கும் 2 (182009R588)	ரோடு	200.00	6.00	4.00	சிமெண்ட் சாலை
39	வி.ஐ.வி. நகர் சாலை (182009R590)	ரோடு	200.00	6.00	-	மண்சாலை
40	ராகவேந்திரா சிட்டி தெற்குபுறம் (182009R591)	ரோடு	50.00	6.00	-	மண்சாலை
41	எம்.எம்.கே. நகர் விரிவாக்கம் முதல் தங்கராசு நகர் (182010S129)	STREET	300.00	4.00	3.50	சிமெண்ட் சாலை
42	பிள்ளையார் கோயில் பின்புறம் உள்ள பிள்ளையார் கோயில் தெரு சாலை (182011R592)	ரோடு	120.00	6.00	4.00	சிமெண்ட் சாலை
43	காமராஜ் நகர், (182012R593)	ரோடு	140.00	6.00	-	மண்சாலை
44	விவேகானந்தா சாலை (182012L021)	சந்து	140.00	3.00	-	மண்சாலை
45	வாகீசன் நகர் ரைஸ்மில் பின்புறம் (182013L022)	சந்து	60.00	3.00	-	மண்சாலை
46	வாகீசன் நகர் பூங்காவிிற்கு முன்பக்கம் (182013R594)	ரோடு	60.00	6.00	-	மண்சாலை
47	வள்ளலார் நகர் விரிவாக்கம் 1வது சாலை (182014S130)	தெரு	250.00	4.00	3.50	சிமெண்ட் சாலை
48	வள்ளலார் நகர் விரிவாக்கம் 2 வது சாலை (182014S131)	தெரு	180.00	4.00	3.50	சிமெண்ட் சாலை
49	ஜோதிநகர் -20வது சாலை (182014R595)	ரோடு	95.00	6.00	-	மண்சாலை
50	குறிஞ்சி நகர் தொடர்ச்சி (182014R596)	ரோடு	80.00	6.00	-	மண்சாலை
51	ஓம்சக்தி கடைசி ரோடு (182015S132)	தெரு	35.00	4.00	-	மண்சாலை
52	ஓம் சக்தி 1வது தெரு (182015L023)	சந்து	50.00	3.00	-	மண்சாலை
53	ஓம் சக்தி 2வது தெரு (182015L024)	சந்து	80.00	3.00	3.00	சிமெண்ட் சாலை
54	ஓம் சக்தி 3வது தெரு (182015L025)	சந்து	50.00	3.00	3.00	சிமெண்ட் சாலை
55	இந்திரா நகர் பள்ளி 1வது தெரு (182015L026)	சந்து	200.00	3.00	3.00	சிமெண்ட் சாலை
56	சுதா மருத்துவமனை சாலை (182015R597)	ரோடு	100.00	6.00	4.00	சிமெண்ட் சாலை
57	புது நகர் மெயின் ரோடு 2வது சாலை (182017L027)	சந்து	320.00	3.00	3.00	சிமெண்ட் சாலை
58	கூட்டுறவு வங்கி சாலை (182018L028)	சந்து	100.00	3.00	-	மண்சாலை
59	முருகா தியேட்டர் சாலையில் இருந்து பத்திரபதிவு அலுவலகம் வரை (182019R598)	ரோடு	270.00	6.00	6.50	சிமெண்ட் சாலை

60	எம்.கே.கே.நகர் 1வது சாலை (182020L029)	சந்து	230.00	3.00	-	மண்சாலை
61	எம்.கே.கே.நகர் 2வது சாலை (182021R599)	ரோடு	100.00	6.00	-	மண்சாலை
62	கபூர்பாய் தெரு (182021L031)	சந்து	150.00	3.00	-	மண்சாலை
63	கிழக்கு கோட்டக்கரை ரோடு (182021R600)	ரோடு	220.00	6.00	-	மண்சாலை
64	பிரகாசம் தெரு (182022R601)	ரோடு	120.00	6.00	-	மண்சாலை
65	முல்லை தெரு தெரு 1வது (182022R602)	ரோடு	30.00	6.00	-	மண்சாலை
66	முல்லை தெரு தெரு 2வது (182022R603)	ரோடு	30.00	6.00	-	மண்சாலை
67	முல்லை தெரு தெரு 3வது (182022R604)	ரோடு	30.00	6.00	-	மண்சாலை
68	வள்ளலார் சாலை கிளை சாலை (182022R605)	ரோடு	70.00	6.00	-	மண்சாலை
69	நாகத்தம்மன் கோயில் (182022L032)	சந்து	90.00	3.00	-	மண்சாலை
70	மாருதி நகர் குறுக்கு தெரு (182022L034)	சந்து	80.00	3.00	-	மண்சாலை
71	தர்மசாலை சாலை 1வது சாலை (182022R606)	ரோடு	250.00	6.00	-	மண்சாலை
72	மாருதி நகர் முதல் கல்பட்டு அய்யா நகர் இணைப்பு சாலை அமைத்தல் (182022R607)	ரோடு	300.00	6.00	-	மண்சாலை
73	அருட்பிரகாச சாலை (182024R608)	ரோடு	1500.00	6.00	4.00	தார் சாலை
74	இந்திரா நகர் பின்புறம் வடக்கு தெரு5ல் (182024L035)	சந்து	130.00	3.00	-	மண்சாலை
75	கல்பட்டு அய்யா நகர் 2வது சாலை (182024R609)	ரோடு	80.00	6.00	-	மண்சாலை
76	பார்வதிபுரம் இடுகாட்டுக்கு செல்லும் வழி (182024L036)	சந்து	300.00	3.00	-	மண்சாலை
77	நடேசனார் நகர் விரிவாக்கம் (182025R610)	ரோடு	1600.00	6.00	-	மண்சாலை
78	ஆர்.சி நேதாஜி ரோடு முதலாவது சந்து மற்றும் இரண்டாவது சந்து (182026R611)	ரோடு	500.00	6.00	4.20	சிமெண்ட் சாலை
மொத்தம்			16499.00			

அலுவலகக்குறிப்பு: மன்றம் அனுமதிக்கலாம்.

ந.க.எண்.422/2025/இ1

பொருள் எண்: 26

இந்நகராட்சியில் பொதுபிரிவு, நகரமைப்பு பிரிவு மற்றும் பொதுசுகாதாரபிரிவுகளுக்கு சம்மந்தப்பட்ட தபால்களுக்கு உடனடியாக பதில் தயார் செய்து மேல் அலுவலர்களுக்கு அனுப்ப இயலாமல் உள்ளது. Google Sheet புள்ளிவிவர அறிக்கைகள் உடனுக்குடன் பதில் தெரிவிக்க வேண்டியுள்ளதாலும், மேலும், இந்நகராட்சியில் கணினி திட்ட உதவியாளர் பணியிடம் இல்லாததால் வருவாய் பிரிவுகளில் பொதுமக்களின் கோரிக்கைகளை உடனுக்குடன் செய்ய இயலாமல் உள்ளது. கணினி மென்பொருள் சம்மந்தப்பட்ட இனங்கள் தெரிந்த மற்றும் தட்டச்சு பணி தெரிந்த ஒருவரை அலுவலக பணிக்கு ஒப்பந்த அடிப்படையில் வெளிகொணர்வு முகமை மூலம் ஒரு வருடத்திற்கு பணி மேற்கொள்ள வேண்டி சி1 எழுத்தர், கணக்கர்

மற்றும் வருவாய் ஆய்வர் அவர்களின் குறிப்பின்படி தயாரிக்கப்பட்ட மதிப்பீடு ரூ.3.80 இலட்சம் செலவினத்தொகையை வருவாய் நிதியில் மேற்கொள்ள மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலகக்குறிப்பு :- மன்றம் அனுமதிக்கலாம்.

கோப்பு எண்.991/2025/சி1

பொருள் எண்: 27

வடலூர் நகராட்சி எல்லைக்குட்பட்ட வார்டு எண்.21, கபூர்பாய் தெருவில் உள்ள மண் சாலை மிகவும் சேதமடைந்து உள்ளதால் மழைகாலங்களில் மழைநீர் தேங்கி பொது மக்கள் வாகன போக்குவரத்திற்கும், பள்ளிக்கு செல்லும் மாணவ / மாணவியர்கள் கட்டும் சிரமத்திற்கு ஆளாகும் சூழ்நிலை ஏற்படுவதால் அப்பகுதி நகர்மன்ற உறுப்பினர் மற்றும் நகர்மன்ற தலைவர் அவர்களின் அறிவுறுத்தலின்படி மேற்படி, பகுதியில் அமைந்துள்ள மண்சாலையினை சிமெண்ட் சாலையாக அமைக்கும் பணிக்கு தயாரிக்கப்பட்ட மதிப்பீடு ரூ.8.50 இலட்சத்தினை நகராட்சி வருவாய் நிதியில் மேற்கொள்ள மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலகக்குறிப்பு :- மன்றம் அனுமதிக்கலாம்.

கோப்பு. எண்.2354 /2025/இ1

பொருள் எண்: 28

வடலூர் நகராட்சி எல்லைக்குட்பட்ட வார்டு எண்.17, புதுநகர் 2வது தெரு (182017S066) தார் சாலை சேதமடைந்து உள்ளதால் பொது மக்கள் வாகன போக்குவரத்திற்கும், பள்ளிக்கு செல்லும் மாணவ / மாணவியர்கள் கட்டும் சிரமத்திற்கு ஆளாகும் சூழ்நிலை ஏற்படுவதால் அப்பகுதி நகர்மன்ற உறுப்பினர் மற்றும் நகர்மன்ற தலைவர் அவர்களின் அறிவுறுத்தலின்படி மேற்படி, பகுதியில் அமைந்துள்ள தார் சாலையினை மறுசீரமைக்கும் பணிக்கு தயாரிக்கப்பட்ட மதிப்பீடு ரூ.4.30 இலட்சத்தினை நகராட்சி வருவாய் நிதியில் மேற்கொள்ள மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலகக்குறிப்பு :- மன்றம் அனுமதிக்கலாம்.

கோப்பு. எண்.2353/2025/இ1

பொருள் எண்: 29

வடலூர் நகராட்சி எல்லைக்குட்பட்ட வார்டு எண்.17 & 18, புதுநகர் 1வது தெரு (182017S065) தார் சாலை சேதமடைந்து உள்ளதால் பொது மக்கள் வாகன போக்குவரத்திற்கும், பள்ளிக்கு செல்லும் மாணவ / மாணவியர்கள் கட்டும் சிரமத்திற்கு ஆளாகும் சூழ்நிலை ஏற்படுவதால் அப்பகுதி நகர்மன்ற உறுப்பினர் மற்றும் நகர்மன்ற தலைவர் அவர்களின் அறிவுறுத்தலின்படி மேற்படி, பகுதியில் அமைந்துள்ள தார் சாலையினை மறுசீரமைக்கும் பணிக்கு தயாரிக்கப்பட்ட மதிப்பீடு ரூ.14.00 இலட்சத்தினை நகராட்சி வருவாய் நிதியில் மேற்கொள்ள மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலகக்குறிப்பு :- மன்றம் அனுமதிக்கலாம்.

கோப்பு. எண்.2352/2025/இ1

பொருள் எண்: 30

வடலூர் நகராட்சி எல்லைக்குட்பட்ட வார்டு எண்.14, குறிஞ்சி நகர் விரிவாக்கத்தில் உள்ள மண் சாலை மிகவும் சேதமடைந்து உள்ளதால் மழைகாலங்களில் மழைநீர் தேங்கி பொது மக்கள் வாகன போக்குவரத்திற்கும், பள்ளிக்கு செல்லும் மாணவ / மாணவியர்கள் கட்டும் சிரமத்திற்கு ஆளாகும் சூழ்நிலை ஏற்படுவதால் அப்பகுதி நகர்மன்ற உறுப்பினர் மற்றும் நகர்மன்ற தலைவர் அவர்களின் அறிவுறுத்தலின்படி மேற்படி, பகுதியில் அமைந்துள்ள மண்சாலையினை சிமெண்ட் சாலையாக அமைக்கும் பணிக்கு தயாரிக்கப்பட்ட மதிப்பீடு ரூ.7.40 இலட்சத்தினை நகராட்சி வருவாய் நிதியில் மேற்கொள்ள மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலகக்குறிப்பு :- மன்றம் அனுமதிக்கலாம்.

கோப்பு. எண்.2351 /2025/இ1

பொருள் எண்: 31

இந்நகராட்சிக்குட்பட்ட வார்டு எண்.7,08,16,19,21,25 அமைந்துள்ள கச்சா வடிகாலினை, எதிர்வரும் வட கிழக்கு பருவமழையின் காரணமாக தூர்வாரும் பணிக்கு தயாரிக்கப்பட்ட மதிப்பீடு ரூ.5.00 இலட்சத்தினை நகராட்சி வருவாய் நிதியில் மேற்கொள்ள நாள்.24.10.2025ல் ஒப்பந்தப்புள்ளி

கோரியதில் கீழ்க்கண்ட விபரப்படி இரண்டு ஒப்பந்தப்புள்ளிகள் வரப்பெற்றுள்ளது. மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

வ.எண்.	ஒப்பந்த நிறுவனத்தின் பெயர்	சதவீதம்
1	திரு.A.ஸ்டாலின், ஒப்பந்ததாரர், வடலூர்.	(-)0.20% குறைவு
2	V.பாஸ்கரன், ஒப்பந்ததாரர், வடலூர்.	(+) 0.04 % அதிகம்

அலுவலகக்குறிப்பு: மேற்படி பணிக்கு வரப்பெற்ற இரண்டு ஒப்பந்தப்புள்ளிகளில் மதிப்பீட்டை விட (-) 0.20% குறைவாக கொடுத்துள்ள A.ஸ்டாலின், ஒப்பந்ததாரர், வடலூர் அவர்களின் ஒப்பந்தப்புள்ளியினை ஏற்று மன்றம் அனுமதிக்கலாம்.

(கோப்பு எண்:1612/2025/எச்1)

பொருள் எண்: 32

இந்நகராட்சிக்கு பொது சுகாதார பிரிவிற்கு JCB வாகனம் இயக்குவதற்கு நிரந்தர பணியாளர் இல்லாததால் ஒரு நபரை வெளிகொணர்வு முகமை மூலமாக பணியமர்த்தும் பணிக்கு தயாரிக்கப்பட்ட மதிப்பீடு ரூ.4.00 இலட்சத்தினை நகராட்சி வருவாய் நிதியில் மேற்கொள்ள நாள்.24.10.2025ல் ஒப்பந்தப்புள்ளி கோரியதில் கீழ்க்கண்ட விபரப்படி இரண்டு ஒப்பந்தப்புள்ளிகள் வரப்பெற்றுள்ளது. மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

வ.எண்.	ஒப்பந்த நிறுவனத்தின் பெயர்	சதவீதம்
1	திரு.A.ஸ்டாலின், ஒப்பந்ததாரர், வடலூர்.	(-)0.22% குறைவு
2	V.பாஸ்கரன், ஒப்பந்ததாரர், வடலூர்.	(+) 0.78 % அதிகம்

அலுவலகக்குறிப்பு: மேற்படி பணிக்கு வரப்பெற்ற இரண்டு ஒப்பந்தப்புள்ளிகளில் மதிப்பீட்டை விட (-) 0.22% குறைவாக கொடுத்துள்ள A.ஸ்டாலின், ஒப்பந்ததாரர், வடலூர் அவர்களின் ஒப்பந்தப்புள்ளியினை ஏற்று மன்றம் அனுமதிக்கலாம்.

(கோப்பு எண்:1063/2025/இ1)

பொருள் எண்: 33

இந்நகராட்சியில் நகர் மன்றத்தலைவர் ஈப்பு வாகனம், ஆணையாளர் ஈப்பு வாகனம் மற்றும் நகராட்சி பொறியாளர் ஈப்பு வாகனம் ஆகியவற்றிற்கு வெளிகொணர்வு முகமை மூலம் ஆறு மாத காலத்திற்கு பணியமர்த்துதல் பணிக்கு தயாரிக்கப்பட்ட மதிப்பீடு ரூ.6.30 இலட்சத்தினை நகராட்சி வருவாய் நிதியில் மேற்கொள்ள நாள்.24.10.2025ல் ஒப்பந்தப்புள்ளி கோரியதில் கீழ்க்கண்ட விபரப்படி இரண்டு ஒப்பந்தப்புள்ளிகள் வரப்பெற்றுள்ளது. மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

வ.எண்.	ஒப்பந்த நிறுவனத்தின் பெயர்	சதவீதம்
1	திரு.A.ஸ்டாலின், ஒப்பந்ததாரர், வடலூர்.	(-)0.24% குறைவு
2	V.பாஸ்கரன், ஒப்பந்ததாரர், வடலூர்.	(+) 0.24 % அதிகம்

அலுவலகக்குறிப்பு: மேற்படி பணிக்கு வரப்பெற்ற இரண்டு ஒப்பந்தப்புள்ளிகளில் மதிப்பீட்டை விட (-) 0.24% குறைவாக கொடுத்துள்ள A.ஸ்டாலின், ஒப்பந்ததாரர், வடலூர் அவர்களின் ஒப்பந்தப்புள்ளியினை ஏற்று மன்றம் அனுமதிக்கலாம்.

(கோப்பு எண்:548/2025/இ1)

பொருள் எண்: 34

இந்நகராட்சி அலுவலக பயன்பாட்டிற்கு பயன்படுத்திவரும் அனைத்து பிரிவுகளிலும் உள்ள கணினி மற்றும் பிரிண்டர்களில் அவ்வப்போது ஏற்படும் பழுதுகளை Software மற்றும் Hardware பழுதுபார்ப்பு வருடாந்திட பராமரிப்பு பணி (AMC) மேற்கொள்ளவும் மற்றும் பிரிண்டர்களுக்கான டோனர்கள் கொள்முதல் செய்யும் பணிக்கு தயாரிக்கப்பட்ட மதிப்பீடு ரூ.3.60 இலட்சத்தினை நகராட்சி வருவாய் நிதியில்

மேற்கொள்ள நாள்.24.10.2025ல் ஒப்பந்தப்புள்ளி கோரியதில் கீழ்க்கண்ட விபரப்படி இரண்டு ஒப்பந்தப்புள்ளிகள் வரப்பெற்றுள்ளது. மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

வ.எண்.	ஒப்பந்த நிறுவனத்தின் பெயர்	சதவீதம்
1	திரு.அகமது ஹனீஸ் பாதுஷா, ஒப்பந்ததாரர், பண்ருட்டி.	(-)0.38% குறைவு
2	திரு.A.ஸ்டாலின், ஒப்பந்ததாரர், வடலூர்.	(+) 0.56 % அதிகம்

அலுவலகக்குறிப்பு: மேற்படி பணிக்கு வரப்பெற்ற இரண்டு ஒப்பந்தப்புள்ளிகளில் மதிப்பீட்டை விட (-) 0.38% குறைவாக கொடுத்துள்ள திரு.அகமது ஹனீஸ் பாதுஷா, ஒப்பந்ததாரர், பண்ருட்டி அவர்களின் ஒப்பந்தப்புள்ளியினை ஏற்று மன்றம் அனுமதிக்கலாம்.

(கோப்பு எண்.903/2025/இ1)

பொருள் எண்: 34

மாவட்ட ஆட்சித்தலைவர் அவர்களின் செயல்முறை உத்தரவு, ந.க.வி2/2066782/2024, நாள்.06.10.2025-ல் முன்னுழைவு அனுமதியும், இணை ஆணையர் நகராட்சி நிர்வாக இயக்குநரகம், சென்னை அவர்களின் காணொளி ஆய்க்கூட்டம் நாள்.01.11.2025-ன் அறிவுரையின் படியும், வடலூர் நகராட்சி எல்லைக்கு அப்பாற்பட்ட குறிஞ்சிப்பாடி தாலுக்கா, அரங்கமங்கலம் ஊராட்சிப்பகுதியில் உள்ள ராஜாகுப்பம் கிராமம் புது சர்வே எண். 96/1-0.90.5 மற்றும் 96/2-013.5 - மொத்த விஸ்தீர்ம் 1.04 ஹெக்டேர் பரப்பளவில் உள்ள இடத்தில் வடலூர் நகராட்சிக்கு கழிவு நீர் சுத்திகரிப்பு மற்றும் கசடு கழிவு மேலாண்மை சுத்திகரிப்பு நிலையம் (Used Water Management STP CUM FSTP) அமைக்கும் பணிக்கு கள ஆய்வு செய்து நகராட்சியின் மக்கள் தொகை, தரவு, வார்டு விவரங்கள், வடிகாலின் ஓட்ட விகிதம் (Flow Rate) மாதிரி சேகரிப்பு அங்கீகரிக்கப்பட்ட ஆய்வுகம் மூலம் கழிவு நீரின் தர பகுப்பாய்வு செய்தல், STP CUM FSTP அமைய உள்ள இடத்தில் கட்டமைப்பு வரைபடம் (Plant Layout), மண்பரிசோதனை, செயல்முறை வடிவமைப்பு, கணக்கீடு ஹைட்ராலிக் வடிவமைப்பு, செயல்முறை ஓட்ட வரைபடம் (Process Flow Drawing) கட்டமைப்பு வடிவமைப்பு (Structural Design) கூடிய விரிவான திட்ட அறிக்கை கருத்துரு தயார் செய்து நிர்வாக அனுமதி மற்றும் தொழில்நுட்ப அனுமதி பெற்றுதர கலந்தாலோசகர் நியமனம் செய்யும் பணிக்கு 14.11.2025-ல் விலைப்புள்ளி கோரியதில் அதன் பேரில் இரண்டு விலைப்புள்ளிகள் வரப்பெற்றது மன்றத்தின் பார்வைக்கு வைக்கப்படுகிறது.

வ.எண்.	நிறுவனத்தின் பெயர்	சதவீதம்
1	Skn Engineers, Madipakkam, Chennai.	2.00 % அதிகம்
2	Plasm Construction, K.Chettipalayam, Tirupur.	1.50 % குறைவு

அலுவலகக்குறிப்பு: மேற்படி பணிக்கு வரப் பெற்ற இரண்டு விலைப்புள்ளிகளில் குறைவாக கொடுத்துள்ள, ப்ளாசம் கன்ஸ்ட்ரக்ஷன், கே.செட்டிபாளையம், திருப்பூர் அவர்களின் விலைப்புள்ளியை மன்றம் பதிவு செய்யலாம்.

ந.க.எண். 2218/2025/இ1

பொருள் எண்: 35

நகராட்சி நிர்வாக இயக்குநர், சென்னை அவர்களின் கடித ந.க.எண்.3582/PPC/2024, நாள்.05.05.2025-ல், வடலூர் நகராட்சிக்குட்பட்ட பகுதிகளில் முதலமைச்சரின் காலை உணவுத்திட்டம், சாலைப்பணிகள், பூங்காக்கள். பேருந்து நிலையம், எரிவாயு தகன மேடை. நீர் நிலைகள் மேம்படுத்துதல், குடிநீர் பணிகள், பள்ளி மேம்பாட்டு பணி, தெரு விளக்கு பணிகள், மழைநீர் வடிகால் பணி, திடக்கழிவு மேலாண்மை பணிகள், கழிப்பிட வசதிகள், முதல்வரின் முகவரி, மக்களுடன் முதல்வர் திட்டம் மற்றும் இதர பணிகள் தமிழக அரசின் நான்கு ஆண்டு சாதனைகளை பொதுமக்களுக்கு விளக்கும் விதமாக நகராட்சிக்கு தேவையான மல்டி கலர் ஸ்டிக்கர்கள் 8000 மற்றும் மல்டி கலர் நோட்டீஸ்கள் 8000 ஆகியவற்றை அச்சடிக்கும் பணிக்கு 07.11.2025-ல் விலைப்புள்ளி கோரியதில் அதன் பேரில் முன்று விலைப்புள்ளிகள் வரப்பெற்றது மன்றத்தின் பார்வைக்கு வைக்கப்படுகிறது.

வ.எண்	பணியின் பெயர்	The Thoothukudi Dist.Hitech Co-op Society Ltd, Kovil patti.	Kovilpatti Small scale Co-op Society Ltd. Kovilpatti	Tirunelveli Dist.Hitech Co-op Society Ltd, Vickramasingapuram.
1.	நான்கு ஆண்டு சாதனைகள் குறித்த -மல்டி கலர் ஸ்டிக்கர்கள்	8000x16.00 = 128000.00	8000x16.25 = 130000.00	8000x9.50 = 76000.00
2.	நான்கு ஆண்டு சாதனைகள் குறித்த -மல்டி கலர் நோட்டீஸ்கள்	8000x9.00 = 72000.00	8000x9.25 = 74000.00	8000x16.50 = 132000.00

அலுவலக குறிப்பு :- மேற்படி பணிக்கு வரப் பெற்ற முன்று விலைப்புள்ளிகளில் குறைவாக கொடுத்துள்ள தூத்துக்குடி மாவட்ட ஹடெக் பிரிண்டிங் அண்ட் அலைடு சேவைத் தொழிற்கூட்டுறவு நிறுவனம் கோவில்பட்டி அவர்களின் விலைப்புள்ளியை மன்றம் பதிவு செய்யலாம்.

ந.க.எண்.1975/2025/இ1

பொருள் எண்: 36

இந்நகராட்சிக்குட்பட்ட வார்டு எண்.05, இ.பி.ஆபிஸ் ரோடு, திடக்கழிவு மேலாண்மை வாகனம் நிறுத்தும் இடத்திற்கு மேற்கூரை (Parking shed) அமைக்கும் பணிக்கு தயாரிக்கப்பட்ட மதிப்பீடு ரூ.19.50 இலட்சத்தினை 15வது நிதிக்குழு மானியம் 2025 - 2026 (Tied Grant) திட்ட நிதியில் மேற்கொள்ள நாள்.18.11.2025ல் ஒப்பந்தப்புள்ளி கோரியதில் கீழ்க்கண்ட விபரப்படி இரண்டு ஒப்பந்தப்புள்ளிகள் வரப்பெற்றுள்ளது. மன்றத்தின் பார்வைக்கும் பதிவிற்கும் வைக்கப்படுகிறது.

வ.எண்.	ஒப்பந்த நிறுவனத்தின் பெயர்	சதவீதம்
1	திரு.A.ஸ்டாலின், ஒப்பந்ததாரர், வடலூர்.	(-)0.19% குறைவு
2	திரு.S.கார்த்திகேயன், குறிஞ்சிப்பாடி.	(+)0.62% அதிகம்

அலுவலகக்குறிப்பு: மேற்படி பணிக்கு வரப்பெற்ற இரண்டு ஒப்பந்தப்புள்ளிகளில் மதிப்பீட்டை விட (-) 0.19% குறைவாக கொடுத்துள்ள திரு.A.ஸ்டாலின், ஒப்பந்ததாரர், வடலூர், அவர்களின் ஒப்பந்தப்புள்ளியினை ஏற்று மன்றம் பதிவு செய்யலாம்.

(கோப்பு எண்.1225/2025/இ1)

பொருள் எண்: 37

இந்நகராட்சிக்குட்பட்ட வார்டு எண்.04ல் உள்ள பாட்டை தெருவில் அமைந்துள்ள MCC மையத்தில் திடக்கழிவு மேலாண்மை வாகனம் நிறுத்தும் இடத்திற்கு மேற்கூரை (Parking shed) அமைக்கும் பணிக்கு தயாரிக்கப்பட்ட மதிப்பீடு ரூ.19.50 இலட்சத்தினை 15வது நிதிக்குழு மானியம் 2025 - 2026 (Tied Grant) திட்ட நிதியில் மேற்கொள்ள நாள்.18.11.2025ல் ஒப்பந்தப்புள்ளி கோரியதில் கீழ்க்கண்ட விபரப்படி இரண்டு ஒப்பந்தப்புள்ளிகள் வரப்பெற்றுள்ளது. மன்றத்தின் பார்வைக்கும் பதிவிற்கும் வைக்கப்படுகிறது.

வ.எண்.	ஒப்பந்த நிறுவனத்தின் பெயர்	சதவீதம்
1	M/S தேவி கன்ஸ்ட்ரக்ஷன், கடலூர்.	(-)0.04% குறைவு
2	திரு.S.கார்த்திகேயன், குறிஞ்சிப்பாடி.	(+)0.33% அதிகம்

அலுவலகக்குறிப்பு: மேற்படி பணிக்கு வரப்பெற்ற இரண்டு ஒப்பந்தப்புள்ளிகளில் மதிப்பீட்டை விட (-) 0.04% குறைவாக கொடுத்துள்ள M/S தேவி கன்ஸ்ட்ரக்ஷன், கடலூர். அவர்களின் ஒப்பந்தப்புள்ளியினை ஏற்று மன்றம் பதிவு செய்யலாம்.

(கோப்பு எண்.1225/2025/இ1)

பொருள் எண்: 38

இந்நகராட்சிக்குட்பட்ட வார்டு எண்.18, இ.பி.ஆர் பிளாட் 7வது தெருவில் மழைநீர் வடிகால் அமைத்தல் (182018S088) பணிக்கு தயாரிக்கப்பட்ட மதிப்பீடு ரூ.23.60 இலட்சத்தினை 15வது நிதிக்குழு மானியம் 2024 - 2025 (Tied Grant) திட்ட நிதியில் மேற்கொள்ள நாள்.18.11.2025ல் ஒப்பந்தப்புள்ளி கோரியதில் கீழ்க்கண்ட விபரப்படி இரண்டு ஒப்பந்தப்புள்ளிகள் வரப்பெற்றுள்ளது. மன்றத்தின் பார்வைக்கும் பதிவிற்கும் வைக்கப்படுகிறது.

வ.எண்.	ஒப்பந்த நிறுவனத்தின் பெயர்	சதவீதம்
1	திரு.தனராஜ், கூத்தன்குடி, சிதம்பரம்.	(-)0.02% குறைவு
2	திரு.T.ராஜேந்திரன், ஆலப்பாக்கம், கடலூர்.	(+)0.12% அதிகம்

அலுவலகக்குறிப்பு: மேற்படி பணிக்கு வரப்பெற்ற இரண்டு ஒப்பந்தப்புள்ளிகளில் மதிப்பீட்டை விட (-) 0.02% குறைவாக கொடுத்துள்ள திரு.தனராஜ், கூத்தன்குடி, சிதம்பரம் அவர்களின் ஒப்பந்தப்புள்ளியினை ஏற்று மன்றம் பதிவு செய்யலாம்.

(கோப்பு எண்.1225/2025/இ1)

பொருள் எண்: 39

இந்நகராட்சிக்குட்பட்ட வார்டு எண்.23, பார்வதிபுரம் பிரதான சாலை மேற்கு மற்றும் கிழக்கு பகுதியில் மழைநீர் வடிகால் அமைத்தல் (1822023R402) பணிக்கு தயாரிக்கப்பட்ட மதிப்பீடு ரூ.83.50 இலட்சத்தினை 15வது நிதிக்குழு மானியம் 2023 - 2024 மற்றும் 2024 - 2025 (Tied Grant) திட்ட நிதியில் மேற்கொள்ள நாள்.18.11.2025ல் ஒப்பந்தப்புள்ளி கோரியதில் கீழ்க்கண்ட விபரப்படி இரண்டு ஒப்பந்தப்புள்ளிகள் வரப்பெற்றுள்ளது. மன்றத்தின் பார்வைக்கும் பதிவிற்கும் வைக்கப்படுகிறது.

வ.எண்.	ஒப்பந்த நிறுவனத்தின் பெயர்	சதவீதம்
1	M/S ஸ்ரீ வள்ளி இன்ஜினியரிங் ஒர்க்ஸ், சிதம்பரம்	(-)0.10% குறைவு
2	M/S ஸ்ரீ ஜஸ்வரீயா கன்ஸ்ட்ரக்ஷன், வடகுத்து	(+)1.02% அதிகம்

அலுவலகக்குறிப்பு : மேற்படி பணிக்கு வரப்பெற்ற இரண்டு ஒப்பந்தப்புள்ளிகளில் மதிப்பீட்டை விட (-) 0.10% குறைவாக கொடுத்துள்ள M/S ஸ்ரீ வள்ளி இன்ஜினியரிங் ஒர்க்ஸ், சிதம்பரம், அவர்களின் ஒப்பந்தப்புள்ளியினை ஏற்றுமன்றம் பதிவு செய்யலாம்.

(கோப்பு எண்.1225/2025/இ1)

பொருள் எண்: 40

வடலூர் நகராட்சியில் தினசரி சேகாரமாகும் குப்பைகளை MMC & RRC செயலாக்கும் மையத்தில் கொண்டு சென்று உரம் மற்றும் மறுசுழற்சிக்கு பயன்படுத்த முடியாத பிளாஸ்டிக் கழிவுகளை சிமெண்ட் பேக்டரிக்கு கொண்டு செல்வது ஆகிய பணிகளை செய்வதற்கு இந்நகராட்சிக்கு 14 நபர்கள் தேவைப்படுகிறார்கள். அதற்கு ₹12 லட்சம் தேவைப்படுகிறது அதனை வெளி கொணர்வு ஒப்பந்த மூலமாக பணிகளை மேற்கொள்ள இணையதள ஒப்பந்தகோரி நடவடிக்கை எடுக்க மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலக குறிப்பு :- 1. மன்றம் அனுமதிக்கலாம்

2. பணியின் அவசர அவசியம் கருதி மன்றம் அனுமதிக்கலாம்.

ந.க.எண்:02359/2025/11

பொருள் எண்: 41

வடலூர் நகராட்சியில் அலுவலக பயன்பாட்டிற்கு தேவையான எழுதுபொருட்கள், பதிவேடுகள், படிவங்கள், தாள்கள், டோனர் வகைகள் போன்றவற்றை வாங்கி வழங்குவதற்கு தமிழ்நாடு மல்டிபர்பஸ் இன்டிகோ சர்வ் திரச்சிராப்பள்ளி என்ற நிறுவனத்தில் வாங்குவதற்கும் அதற்கான செலவினம் ரூ. 2.00 (ரூபாய் இரண்டு லட்சம் மட்டும்) வருவாய் நிதியிலிருந்து செலவு மேற்கொள்ளவும் மன்றத்தின் அனுமதிக்கு வைக்கப்படுகிறது.

அலுவலக குறிப்பு :- 1. மன்றம் அனுமதிக்கலாம்

2. மேற்கண்ட செலவினத்தை இந்நகராட்சி வருவாய் நிதியிலிருந்து

மேற்கொள்ள மன்றம் அனுமதிக்கலாம்.

ந.க.எண்: 416/2025/சி1

வடலூர் நகராட்சி
மன்றக் கூட்ட அழைப்பிதழ்

2025 ம் ஆண்டு டிசம்பர் மாதம் 01.12.2025. திங்கள் கிழமை காலை 10.30 மணிக்கு நகர் மன்றத்தின் சாதாரண கூட்டம் நடைபெறும். அதற்கான மன்றபொருள்கள் இத்துடன் இணைத்து அனுப்பி வைக்கப்படுகிறது. அவ்வமயம் தாங்கள் தவறாது கலந்து கொள்ளுமாறு அன்புடன் கேட்டுக்கொள்கிறேன்.

நகர்மன்ற தலைவர்,
வடலூர் நகராட்சி.

அவசரக்கூட்டம்

2025-ம் ஆண்டு டிசம்பர் மாதம் 01.12.2025 தேதி திங்கட்கிழமை காலை 10.30 மணிக்கு வடலூர் நகராட்சி அலுவலகத்தில் அவசரக்கூட்டம் நகர்மன்ற தலைவர் முன்னிலையில் நடைபெறவுள்ளது. அதுசமயம் கீழ்க்காணும் பொருள்கள் குறித்து தீர்மானம் நிறைவேற்றப்படவுள்ளது.

முன்னிலை : திரு. சு. சிவக்குமார், நகர்மன்ற தலைவர்,
வடலூர் நகராட்சி.

பொருள் எண். 1

தமிழ்நாடு அரசிதழ் அறிவிக்கை எண். 252, நாள். 02.06.2025 ல் மாண்புமிகு தமிழ்நாடு முதலமைச்சர் அவர்களின் அறிவிப்பின் அடிப்படையில் தமிழ்நாடு நகர்ப்புற உள்ளாட்சி அமைப்புகள் சட்டம் 1998 பிரிவு 37(1)(i.a) ல் மாற்று திறனாளி மன்றம் உறுப்பினர் நியமனம் குறித்து திருத்தம் செய்யப்பட்டு அரசாணை நிலை எண். 119, நகராட்சி நிர்வாகம் மற்றும் குடிநீர் வழங்கல் (தேர்தல்) துறை, நாள். 26.06.2025 மற்றும் அரசாணை நிலை எண். 120 நகராட்சி நிர்வாகம் மற்றும் குடிநீர் வழங்கல் (தேர்தல்) துறை, நாள். 26.06.2025 ஆணைகள் வெளியிடப்பட்டுள்ளன. மேற்படி நியமனம் குறித்து வரப்பெற்ற விண்ணப்பங்களில் மாவட்ட ஆட்சியர், கடலூர் அவர்களின் கடிதம் எண். அ2/3020/2025, நாள் 30.10.2025- ல் மாவட்ட அளவிலான குழுவால் பரிந்துரை செய்யப்பட்டு திரு.சரவணன் த/பெ ராமமூர்த்தி, 12 பி. விவேகானந்தர் தெரு, காமராஜர் நகர், வடலூர், அவர்களை நகர மன்றத்திற்கான மாற்று திறனாளி நகர் மன்ற உறுப்பினராக நியமனம் செய்து உத்தரவிடப்பட்டது. அதனடிப்படையில் நகராட்சி நிர்வாக இயக்குநர், சென்னை அவர்களின் செயல்முறை உத்தரவு நாள். 24.11.2025 ல் மேற்படி மாற்று திறனாளி திரு.சரவணன் த/பெ ராமமூர்த்தி, அவர்களை வடலூர் நகர மன்றத்திற்கான மாற்று திறனாளி நகர மன்ற உறுப்பினராக நியமனம் செய்து உத்தரவிடப்பட்டுள்ளதை தொடர்ந்து 26.11.2025 அன்று திரு.சரவணன் த/பெ ராமமூர்த்தி, அவர்கள் வடலூர் நகர மன்றத்திற்கு மாற்று திறனாளி நகர மன்ற உறுப்பினராக பதவி ஏற்றுக்கொண்டார் என்ற விவரம் மன்றத்தின் பார்வைக்கும் பதிவிற்கும் வைக்கப்படுகிறது.

அலுவலக குறிப்பு:- மன்றத்தின் பார்வைக்கும் பதிவிற்கும் வைக்கலாம்.

கோ.எண்.1083/2025/சி1

பொருள் எண். 2

மாண்புமிகு தமிழக முதலமைச்சர் அவர்களால் 14.08.2025 அன்று அறிவுப்பு வெளியிடப்பட்டதை தொடர்ந்து , நகராட்சி நிர்வாகம் மற்றும் குடிநீர் வழங்கல் (ந.நி.3) துறை, அரசாணை (4ப), எண்.56, நாள்.21.11.2025-ன்படி, இந்நகராட்சியில் பணிபுரிந்து வரும் நிரந்தர மற்றும் தற்காலிக தூய்மை பணியாளர்களுக்கான 3 வருட காலத்திற்கு உணவு வழங்குவதற்காக ஒரு கேட்டரிங் நிறுவனத்தைத் தேர்ந்தெடுக்கும் பணிக்கு தயாரிக்கப்பட்ட மதிப்பீடு ரூ.9793848/- தொகையினை நகராட்சி வருவாய் நிதியில் மேற்கொள்ள நாள்.26.11.2025-ல் ஒப்பந்தப்புள்ளி கோரியதில் கீழ்க்கண்ட விபரப்படி இரண்டு ஒப்பந்தப்புள்ளிகள் வரப்பெற்றுள்ளது. மன்றத்தின் பார்வைக்கும் பதிவிற்கும் வைக்கப்படுகிறது.

வ.எண்.	ஒப்பந்த நிறுவனத்தின் பெயர்	சதவீதம்
1	Krishnasamy Murugan, Panruti	(-)0.28% குறைவு
2	Ecogreen Engineering Private Limited, Vadalur.	(+) 6.60% அதிகம்

அலுவலகக்குறிப்பு: மேற்படி பணிக்கு வரப்பெற்ற இரண்டு ஒப்பந்தப்புள்ளிகளில் மதிப்பீட்டை விட (-) 0.28% குறைவாக கொடுத்துள்ள Krishnasamy Murugan, Panruti அவர்களின் ஒப்பந்தப்புள்ளியினை ஏற்று மன்றம் அனுமதிக்கலாம்.

நகர்மன்ற தலைவர்,
வடலூர் நகராட்சி.

2025 ஆண்டு டிசம்பர் மாதம் 01ம் தேதி திங்கள்கிழமை காலை 10.30 மணிக்கு நடைபெற்ற வடலூர் நகராட்சி நகர்மன்ற சாதாரணக் கூட்டத்தின் நடவடிக்கைகள்.

முன்னிலை: திரு. ச. சிவக்குமார்,
நகர்மன்ற தலைவர்,

வடலூர் நகராட்சி

பொருள் எண்: 02

VADALUR MUNICIPALITY
Drinking Water Supply By-law

1. In exercise of the powers conferred under sub-section (1) of section 199 of the Tamil Nadu Urban Local Bodies Act, 1998 (Tamil Nadu Act of 1999) the council of Vadalur Municipal Council , hereby makes the following By-Laws with the approval of the Director for regulation of Drinking water supply.
 1. Drinking water supply connection shall be provided only to the houses / buildings assessed by the Vadalur Municipal Council for payment of property tax.
 2. For getting drinking water supply connections, the owner of the building or the tenant of the building with the approval of the owner shall apply to the Commissioner in "Form 1" in the Annexure along with the fees of Rs.100/-, details indicated in the Form 1 and details of property such as copy of sale deed, property tax remittance etc.,
 3. The Municipal Engineer or his/her authorized officer shall scrutinize the application and advise the owner/tenant to remit the deposit depending upon the plinth area as specified in Table-1 either in one or more installments as ordered by the Commissioner based on the Council resolution along with charges towards inspection, road restoration and centage.
 4. The commissioner shall thereafter issue order in Form 2 to provide Drinking water service connection. The connection shall be given through the Vadalur Municipal council Trained Plumbers/Contractors to be engaged by the owner/tenant, under supervision by Vadalur Municipal Council authorities in the order of seniority prepared based on the date of registration of application.
2. For getting drinking water supply connections in the new water supply system provided or being provided as part of any comprehensive water supply improvement scheme, the owner of the building or the tenant
 - i. of the building with the approval of the owner shall apply to the Commissioner in "Form 1" in the Annexure along with the application fees of Rs.100/-, details indicated in the Form 1 and details of property such as copy of sale deed, property tax remittance etc.,. The commissioner shall thereafter issue order in Form 2 to provide drinking water service connection.
 - ii. The drinking water service connection shall be given through the civil works Contractor engaged by the Vadalur Municipal Council Parastatal Agency namely Tamil Nadu Water supply and Drainage Board under any water supply improvement scheme. The Contractor, upon recommendation / approval by the Municipal Engineer, shall provide drinking water service connection under the any water supply improvement project.
 - iii. The Municipal Engineer shall advise the applicants to remit the deposit depending upon the plinth area as specified in Table-1 either in one or more installments (not more than 10 installments) along with Property tax as ordered by the Commissioner. The Parastatal Agency Vadalur Municipal Engineer shall ensure that all the assessed properties (both domestic and non-domestic) are provided with drinking water supply

- service connections without any omissions.
3. The application under bylaw 1 and 2 received along with the requisite documents will only be considered for providing drinking water supply connection.
 4. The Vadalur Municipal Council shall levy the water charges based on the plinth area of the building as per the rates provided in Table-2 for both domestic and non-domestic connections. The water charges shall be levied either on a fixed flat rate basis or based on the volume of water consumed and billed subject to a minimum monthly charge irrespective of the volume of water consumed.
 5. The Vadalur Municipal Council shall determine whether a drinking water supply connection is domestic or non-domestic depending upon the type of assessment and the charges shall be levied accordingly.
 - i. The Vadalur Municipal council shall levy the charges based on non-domestic category even though the applicant uses it for domestic purposes in case of the following fully/partially constructed buildings.
 - d. The drinking water supply connections to manufacturing units, business concerns, garden, buildings structures, fountain, swimming pools, luxury resorts and mechanical consumptions, sale place of cattle, firms, private organizations private hospitals, private veterinary hospitals, lodges, recreational places, hotels, theatres and any other business places.
 - e. The drinking water supply connections to buildings owned/leased/rented by business organizations such as railways, security organizations etc, will be considered as non-domestic connections.
 - f. The commercial water connection shall include connections to commercial buildings related to business and work-related buildings which include canteens, restaurants, tea/coffee shops, Marriage halls, theatres and other business places.
 - iii. Industrial water connections shall include connection to industrial buildings and all other organizations certified under the Factories Act, 1948 such as soda making companies, ice manufacturing companies, rice mills and all Small-Scale Industries.
 - c. The water connections to buildings owned by the Vadalur Municipal council and maintained by tenants or lessees shall be classified as domestic or non-domestic connection depending on the end use of the building.
 - d. All commercial and industrial connections other than domestic shall be classified as non-domestic.
 6. For a domestic water connection, the charges will be levied as per non-domestic rates if the consumption is found to be more than twice the base level of supply as specified in Table-2 consecutively for two billing periods.
 - i. If any building with a water connection is demolished, then the water connection shall be disconnected. In case of construction of additional floors/area or major renewal works are carried out in the existing domestic building using the Vadalur Municipal Council water, then the
 - ii. In case of construction of additional floors/area or major renewal works are carried out in the existing domestic building using the Municipal Corporation / Municipal Council water, then the water consumption will be considered as non-domestic, and charges shall be levied accordingly.
 - iii. On completion of such additional construction/renewal works, the consumer shall apply for revised tax assessment to the Vadalur Municipal Council and shall pay the additional charges, including penal charges as applicable and to get an order for conversion to a domestic connection after due verification/inspection by the Municipal Council authorities.
 7. (1). For every household assessed under property tax, one water supply connection shall be given. For those connections, flow control valve and gate valve shall be fixed to control the flow of water. Households having water supply connections shall use water only for their exclusive uses and shall not supply water to other households having no water supply connection.
 - (2) For the purpose of providing Water supply connection for Apartments.
 - c) While giving water supply connections to apartments having two or more households, every household (**No. of Property tax assessment**) shall be separately assessed, and deposit shall be collected separately from each of the flats or apartments.
 - d) Irrespective of multiple property tax assessments in an apartment, the water supply connection shall be provided as total distribution system, considering the total demand and upon approval by the Vadalur Municipal Engineer. Individual connections will not be provided for each flat. The number of physical connections, size of service connection pipe, size of ferrule and rating of flow control valve shall be designed and decided by the Vadalur Municipal Engineer taking into account the total number of dwellings, total water supply demand etc. and the water service connection shall be provided after getting approval of the Commissioner.
 - C) Every Property tax assessment should be treated as single unit for assessment of water supply connection and user charges and its details are specified in

the Table below:-

Sl.No	Apartments	No. of Connection	Deposit	Size of Pipe (in. dia)
1	Up to 4 Flats	1 connection		Decided by City Engineer/Municipal Engineer
2	From 5 to 8 Flats	2 connection		
3	From 9 to 12 Flats	3 connection		
4	Above 12 Flats	1 connection for each 4 Flats		

8. (1) Water supply connections in places of worship, used for public consumption purposes only, will be provided as follows:
- e. The by-law applicable for providing domestic connections shall be applicable for providing water supply connections to places of worship.
 - f. The administrators of the places of worship are responsible for laying pipelines, maintaining and removal of the same. The costs of maintenance shall be borne by them. The pipe lines shall have 15 mm diameter and shall be fixed with automatically closing water taps to prevent water losses.
 - g. The water supply shall be used only for consumption and the charges shall be levied as per domestic rates.
 - h. Non-domestic water supply connections shall be provided to the shops and other commercial complexes located near by the worship places which are maintained by the same administrators after payment of deposit and all other charges as applicable.

Water Supply.

The Buildings used for Government educational Institutions and Government Hospitals are exempted from payment of property tax and the water supply charges will be collected as per domestic charges.

9. (1) Government office buildings and Public sector units:
- (2)
- e. While giving water supply connections, the assessment shall be ensured and the by-laws applicable for providing non-domestic water supply connections shall be followed.
 - f. Irrespective of property tax assessments, the water supply connection shall be provided as total distribution system, considering the total demand and upon approval by the Vadalur Municipal Engineer. Individual connections will not be provided for each building within the premises. The number of physical connections, size of service connection pipe, size of ferrule and rating of flow control valve shall be designed and decided by the Vadalur Municipal Engineer taking into account the total number of students and officials, total water demand etc. and the water service connection(s) shall be provided after getting approval of the Commissioner.
 - g. For providing Water supply connections to the Anganwadis and Municipal School buildings; such buildings are exempted to pay water supply charges.
 - h. Irrespective of property tax assessments, the water supply connection shall be provided as total distribution system, considering the total demand and upon approval by the Vadalur Municipal Engineer. Individual connections will not be provided for each building within the premises. The number of physical connections, size of service connection pipe, size of ferrule and rating of flow control valve shall be designed and decided by the Vadalur Municipal Engineer taking into account the total number of students and officials, total water demand etc. and the water service connection(s) shall be provided after getting approval of the Commissioner.
10. a. While providing water supply connections, ferrules or flow control valves shall be fixed to ensure water supply at the rate of 5 litres per minute (lpm) per connection for domestic connections. All accessories for providing water supply connections such as stoppers, valves, meters etc., including the length of the pipe will be determined by the Vadalur Municipal Engineer or by his/her authorized representative in accordance with the following pipe sizes.
- i. Connection with 15mmdiameter pipe – 10 mmferrule.
 - ii. Connection with 20mmdiameter pipe – 15 mmferrule.
- If any other measure is required, the same shall be decided by the Vadalur Municipal Engineer. All the fittings, ferrules, meters etc. shall comply with relevant IS Codes and Standards.

Municipal Council								
<=600	100	300	300	300	15	45	45	45
601-1200	120	360	360	360	18	54	54	54
1201-1800	150	450	450	450	22	66	66	66
1801-3500	180	540	540	540	27	81	81	81
3501-5000	210	630	630	630	38	104	104	104
5001-10000	240	720	720	720	44	132	132	132
Above10001	270	810	810	810	50	150	150	150

* This is the base rate for the plinth area of 10001 sq.ft. The water consumption charge for the plinth area above 10001 sq.ft. shall be increased in proportion to the increase in plinth area.

- (2). The water supply service connection deposit and water consumption charges shall be increased at the rate of **3% on every year**, so as cover the cost of operation and maintenance of the entire water supply system.
- (3). The owner/occupant, who have already availed the House service connection, shall also liable to pay the remaining amount of deposit for water supply service connection to the extent of the present rate of such Deposit.
15. For the water distribution through private Lorries, through public association, the water charges shall be decided by **the Vadalur Municipal Council** based on the Quantum of Water required and distance of Supply. The **Vadalur Municipal Council** has the right to revise the charges depending on the circumstances. During emergency conditions, the distribution of water through Lorry shall be determined by the Commissioner.

Temporary water supply Connections:

- (2). The Commissioner is authorized to give temporary water supply service connections to places like exhibition, circus, or religion-oriented functions, temporary public gathering etc. considering the estimation given by the Vadalur Municipal Council / Municipal Engineer subject to the following conditions namely:
 (a) Minimum charges per month per connection shall be Rs. 1500/- up, to 10 KL and Rs. 50/- for consumption of every additional KL beyond the 10 KL. (b) All temporary water service connections shall be treated as non-domestic. C. Temporary water connections shall be given for a period of 90 days only.
16. The consumers shall remit the water consumption charges as per the demand raised either based on water meter readings or based on flat charges within 15 days of receipt of demand notice. Failure to remit the charges within the specified time will result in fine for the charges paid after the date fixed for such payment at one rupee for every hundred rupee up to charges to be paid for every month or less than a month.
- (2). Any losses arising out of non-payment of charges and subsequent disconnection of water supply services shall be borne by the owner/tenant of the buildings.
- (3). Upon disconnection of water supply, the charges shall be collected by following the same procedure for collection of property tax.
- (4). If the owner/tenant requests for reconnection, the The Commissioner is authorized to give temporary water supply service connections to places like exhibition, circus, or religion-oriented functions, temporary public gathering etc. considering the estimation given by the Vadalur Municipal Council / Municipal Engineer subject to the following conditions namely Vadalur Municipal Council shall levy the charges of Rs. 500/- for disconnection and Rs. 500/- for reconnection along with road repair/restoration charges as required and provide the service connection subject to the following conditions namely:
 (a) Any additional deposit rose by the Council for carrying out disconnection and reconnection should have been paid by the owner/tenant. (b). The entire arrears of water charges and property tax should have been paid by the owner/tenant.
17. If case of no consumption of water, minimum charges shall be levied with no discount. The owner/tenant may temporarily get the connection disconnected by getting written permission from the Commissioner. For this period, no charges shall be levied. However, for disconnection and reconnection, charges of Rs. 500 each along with road repair charges as required, shall be levied.
- (2). If the owner/tenant wants to disconnect the water connection temporarily or permanently he/she can do so by remitting the disconnection charge of Rs.500/-with an advance period of 30 days.
18. The owner/tenant shall pay Rs. 250/- as meter checking charges, in case of repair in meter or issues in the meter reading within 30 days of the meter reading taken by the The Commissioner is authorized to give temporary water supply service connections to places like exhibition, circus, or religion-oriented functions, temporary public gathering etc. considering the estimation given by the Vadalur Municipal Council / Municipal Engineer subject to the following conditions namely Vadalur Municipal Council authorities.
- (2) If such a complaint is not made within this period and without payment of the charges shall not be considered.

- (3). After inspection, if the meter/meter reading is found to be defective, the meter checking charges will be refunded and if the meter is found to be in a good working condition, the meter checking charges will be forfeited.
19. If the meter is defective for more than one month or if the meter is found to be not showing the proper reading, the consumption charges shall be calculated based on the consumption during the same month in the previous year. The consumption charges thus calculated by the Vadalur Municipal Engineer or his/her representatives shall be final.
 - (1) Minimum charges shall be levied if the house is locked, and the meter reading is not taken. If the meter reading is taken later and if the water charge is worked out to be more than the minimum charges already remitted, the difference in amount shall be levied along with the subsequent bill amount.
 - (2) The Vadalur Municipal Council shall levy the minimum charges even if the house is found to be locked for more than two readings. If the owner/tenant fails to remit the minimum water charges thus levied by the, then the connection will be disconnected by the Vadalur Municipal Council authority, subsequently the tenant/ owner shall avail water connection by remitting the reconnection charges, disconnection charges along the pending water charges without any due.
20. On inspection by the authorities , if the joints and taps are found to be in a damaged condition, the owner/tenant shall be given notice for repairing the damages. If the damage is not repaired immediately responding the notice then, the Vadalur Municipal Council shall cause action to repair the damage and all costs so incurred for the repair shall be collected from the owner/tenant along with the water charges of the subsequent month.

21. If the owner/tenant is found to use the water obtained from domestic connection for non-domestic purposes without the concern of the concerned authorities, then the owner / tenant shall be required to remit the charges as per the non-domestic rates from that month onwards. If the tenants/ owner want to change the non domestic connection by giving application to Vadalur Municipal Council , then connection will be changed as domestic connection by levying fine amount of Rs. 2000/- . This fine amount will be raised as demand along with the subsequent monthly bill.
22. If any water supply service connection is found to be provided by the owner/tenant on their own without obtaining permission from the Vadalur Municipal Council , then the connection will be treated as un-authorized connection and shall be regularized as regular water supply connection by following the procedure along with a fine amount as below. (a)For domestic connection Rs. 10,000/-
b.For non-domestic connection Rs. 20,000/-
23. Where water supply connections required to be provided for common toilets, urinary places and latrines, a tank shall be constructed with the necessary equipment for storage and supply of water in the location as decided by the Municipal Engineer and connection can be provided.
24. If a water supply connection required to be provided for boiler plants, water shall be stored in a separate tank and utilized only from that tank. It shall be ensured that the tank shall be provided with ball valves and other appurtenances including alarms in a visible location for easy inspection.
25. Temporary connections for occasions like marriages or any other occasions may be provided with the approval of the Commissioner on receipt of application in Form 3 along with charges of Rs. 2000/- per day per connection for supply of water up to 20 KL. Necessary pipelines, fittings and other accessories required for providing temporary connection shall be arranged by the applicants at their own cost including restoration of road surface to its original condition. No temporary connection will be provided for a period of more than 5 days.
26. The Municipal Council shall maintain a register for the purpose of water supply connection including the house service register meter, meter reading ledger and card therefore in Form.
27. The Municipal Council AE/JE shall check not less than five percent of the meter readings recorded by the meter reader in a year and the Municipal Council Engineer shall check not less than twenty four meter readings in a year recorded by the meter recorder. The Accountant shall check not less than twenty five percent of the bills section, check and initial the bills so checked.
28. All house connections whether within or outside the premises attached with the Municipal Council water supply mains shall be under the control of the Municipal Council but shall be altered, repaired and kept in proper order at the expense of the owner of the premises to whom they belong or for the use of which they were constructed.
29. The owner/tenant shall not attempt to break the seal or lock or the glass part of the water meter or try to open the meter or alter its contents or try to obstruct the measurement path of the water meter.
 - (1) The owner/tenant shall not tap water before it is passing through the water meter.
 - (2) The owner/tenant shall not tap water before it is passing through the water meter.

30. The procedure for providing water connections followed earlier until the above rules are notified shall be null and void.
- (1) The owner/tenant while submitting application for taking new water supply connection shall pay all the taxes to the Municipal Council and enclose the copies of receipts.
31. If the Municipal Council notices that water taps are damaged willfully or water connection is misused by the owner/tenant even after giving 24 hours warning notice, the connection shall immediately be disconnected. The Municipal Council will not be responsible for any losses to the owner/tenant on account of such disconnection.
32. Any person causing damage to the Municipal Council property shall be liable for punishment in the following manner. Fine shall be levied up to Rs.500/- initially and if the offence continues despite giving warning notice, running penalty of Rs.100/- per day shall be levied. If the offence continues, water service connection will be disconnected, and legal proceedings will be initiated through the Court of Law.
33. Vadalur Municipal Council shall provide individual water service connections to all the people living below poverty line and shall avoid supply of drinking water through Lorries/HDPE tanks/Public Fountains for day-to-day consumption by the people. However, if it is not technically feasible to provide individual house service connections to households in any particular area, then water can be supplied either through Lorries or HDPE tanks or through Public Fountains after the Resolution by the Council and upon approval by the Chief Engineer, Directorate of Municipal Administration, Chennai.
- (1) No person shall take water in containers of capacity more than 30liters from the taps
- (a.)Water shall be used only for domestic purposes except forEmergencies due to fire accidents. (b.) No person shall be allowed to take baths or wash clothes or clean cattle or clean vehicles from the public water taps.(c.)When other people are waiting, no person shall take water more Than once from the public taps.
- (3) In addition to the installation of public fountains fixed at the time of formulation of the water supply scheme, no new public fountains except in areas where people belonging to economically weaker sections reside shall be installed. The number of public fountains in such area shall be provided at the ratio of 50 percentage residential buildings which have no house connection of water supply.
- (4) Wherever economically weaker sections reside, the commissioner may decide whether the existing public fountain may be maintained or the same may be converted into bulk water supply with charges collected from the beneficiaries of such area, but assessing a "NIL" property tax in the name of Community Based organization (CBO).
- (5) No person shall cause wastage of water provided by the Municipal Council by the misuse of public stand-posts or pipes, drinking fountains of hydrants.

அலுவலகக்குறிப்பு : 1. மன்றம் அனுமதிக்கலாம்.
தீர்மானம் எண்.909, நாள்.01.12.2025. அனுமதிக்கப்பட்டது.

**(ஓம்) திரு. ச. சிவக்குமார்,
நகர்மன்றதலைவர்,
வடலூர் நகராட்சி.**

//உண்மை நகல்//

**மேலாளர்
வடலூர் நகராட்சி**

2025 ஆண்டு டிசம்பர் மாதம் 01ம் தேதி திங்கள்கிழமை காலை 10.30 மணிக்கு
நடைபெற்ற வடலூர் நகராட்சி நகர்மன்ற சாதாரணக் கூட்டத்தின் நடவடிக்கைகள்.

முன்னிலை: திரு. சு. சிவக்குமார்,

நகர்மன்ற தலைவர்,

வடலூர் நகராட்சி

பொருள் எண்: 19

வடலூர் நகராட்சியில் அமைந்துள்ள திருஅருட்பிரகாச வள்ளலார் தெய்வநிலையம்
இந்து அறநிலையத்துறையின் மூலம் ஆண்டுதோறும் தைப்பூசம் திருவிழா சிறப்பாக
கொண்டாடப்பட்டு வருகிறது. இந்த வருடம் பிப்ரவரி 2026 ஆம் ஆண்டு வருவதால்
பொதுசுகாதார பணிகள் மேற்கொள்வதற்கு தேவையான தளவாடப்பொருட்கள்,
கிருமிநாசினிகள் வாங்கி பயன்படுத்துவதற்கு செலவினம் ரூ.6.00 (ரூபாய் ஆறு லட்சம்).
இதனை அரசு அங்கீகாரம் பெற்ற நிறுவனமான தமிழ்நாடு மல்டிபர்பர்ஸ் நிறுவனம்,
திருச்சிராப்பள்ளி அவர்களிடம் வாங்குவதற்கு மன்றத்தின் அனுமதிக்கு
வைக்கப்படுகிறது.

அலுவலகக்குறிப்பு: 1. மன்றம் அனுமதிக்கலாம்.

தீர்மானம் எண். , நாள்.01.12.2025. அனுமதிக்கப்பட்டது.

(ஓம்) திரு. சு. சிவக்குமார்,

நகர்மன்ற தலைவர்,

வடலூர் நகராட்சி.

//உண்மை நகல்//

மேலாளர்

வடலூர் நகராட்சி